

DUMPSBOSS.COM

TMap Next Foundation

Exin TMPF

Version Demo

Total Demo Questions: 10

Total Premium Questions: 62

Buy Premium PDF

<https://dumpsboss.com>

support@dumpsboss.com

dumpsboss.com

Topic Break Down

Topic	No. of Questions
Topic 1, Volume A	31
Topic 2, Volume B	31
Total	62

QUESTION NO: 1

What is the aim of the activity 'assessing the test basis'?

- A. to determine the risk of the various system components
- B. to select the most suitable test design techniques
- C. to determine whether the delivered system components can be tested in a useful manner
- D. to establish the testability of the test basis

ANSWER: D

QUESTION NO: 2

See the specification below:

```
IF      Dutch telephone number AND telephone number does not contain 10 digits
THEN   error message
ENDIF
```

How many logical test cases can be generated if a semantic test using the coverage type decision points modified condition/decision coverage is used?

- A. 1
- B. 2
- C. 3
- D. 4

ANSWER: C

QUESTION NO: 3

What is recorded in a test plan?

- A. the initial situation, action and predicted result
- B. the test situations to be tested

- C. the division into test units and the test techniques to be used
- D. a stepped plan for the test execution

ANSWER: C

QUESTION NO: 4

A fun park is celebrating its 25th birthday and has come up with the following discount campaign:

Everybody is given 50% discount on their admission ticket. Children younger than 4 years, adults older than 64 years, and for this special occasion adults aged 25 years will be allowed in free.

How many equivalence classes are included in this situation?

- A. 3
- B. 4
- C. 5

ANSWER: C

QUESTION NO: 5

See the specification below in which a decision point is described:

$R = (D \text{ OR } E) \text{ AND } F$

Use of the coverage type decision points modified condition/decision coverage produces the following table with test situations:

$R = (D \text{ OR } E) \text{ AND } F$	1	0
D	101	001
E	...	001
F	101	100

Which values are missing where the dots are stated (? to make the table complete?

- A. 010
- B. 011

C. 110

D. 111

ANSWER: B

QUESTION NO: 6

Which type of tool is used in the Execution phase to test a module or component that has a relationship with programs that have not yet been realized?

- A. code coverage tool
- B. comparator
- C. 'model-based testing' tool
- D. stubs and drivers

ANSWER: D

QUESTION NO: 7

What is not a general step when specifying test cases?

- A. allocating the test techniques
- B. identifying test situations
- C. creating the test script
- D. establishing the starting point

ANSWER: A

QUESTION NO: 8

Drivers can be used in the Execution phase of a test process. What are drivers for?

- A. to test, at an early stage, a module that has relationships with modules not yet realized
- B. to gain insight into aspects like memory use, CPU use, network load and performance
- C. to determine whether the system continues to function correctly and at the required speeds under the expected production load

ANSWER: A

QUESTION NO: 9

When customer data is entered, it is mandatory to specify an e-mail address. Which test design technique can be used to test the above?

- A.** Data Cycle Test
- B.** Process Cycle Test
- C.** Syntactic Test

ANSWER: C

QUESTION NO: 10

What is not an advantage of applying a test design technique and recording it in the test specifications?

- A.** that the tests are reproducible
- B.** that the test specifications are transferable
- C.** that coverage of 100% is achieved
- D.** that it provides a justified elaboration of the test strategy

ANSWER: C