



IBM Workload Automation V9.2 Implementation

[IBM C9560-517](#)

Version Demo
Total Questions: 10

<https://dumpsboss.com>
support@dumpsboss.com

IBM Workload Automation V9.2 Implementation

QUESTION NO: 1

Which utility checks the SOAP port number used by an IBM Tivoli Workload Scheduler instance?

- A. backupConfig.sh
- B. modifyThreadPool.sh
- C. showHostProperties.sh
- D. showDataSourceProperties.sh

Answer: C

QUESTION NO: 2

When uninstalling an IBM Tivoli Workload Scheduler agent from a Windows computer, the to wsinst command is run using which option?

- A. Java
- B. Python
- C. Windows PowerShell
- D. Windows Visual Basic Script

Answer: A

QUESTION NO: 3

How is a successful IBM Tivoli Workload Scheduler agent installation confirmed?

- A. Check the master domain manager processes.
- B. Review the output written to the installation logs.
- C. Review the IBM WebSphere Application Server installation logs.
- D. Confirm if the agent is visible from the Dynamic Workload Console.

Answer: D

QUESTION NO: 4

Which task would a Dynamic Workload Console user use to check for a full mailbox on a fault-tolerant agent?

- A. Connections
- B. Check Health Status
- C. Monitor Operator Messages
- D. Monitor Computers on Broker

Answer: C

QUESTION NO: 5

Which file is used to store common options when configuring IBM Tivoli Workload Scheduler for Applications SAP R/3?

- A. r3opts
- B. globalopts
- C. <XA>_r3opts
- D. r3batch.opts

Answer: D

Reference: http://ordonnancement.org/pdf_c3212785.pdf (page 131)

QUESTION NO: 6

Which IBM WebSphere Application Server utility is used to change the j2cPassword property?

- A. updateWas.sh
- B. changeHostProperties.sh
- C. changeSecurityProperties.sh
- D. changeDataSourceProperties.sh

Answer: D

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSRULV_8.6.0/com.ibm.tivoli.itws.doc_8.6/awsadpwdaction5.htm)

[01.ibm.com/support/knowledgecenter/SSRULV_8.6.0/com.ibm.tivoli.itws.doc_8.6/awsadpwdaction5.htm](http://www-01.ibm.com/support/knowledgecenter/SSRULV_8.6.0/com.ibm.tivoli.itws.doc_8.6/awsadpwdaction5.htm)

QUESTION NO: 7

What are the two main object types of event management plug-ins?

- A. Alert
- B. Action
- C. Condition
- D. Reporting
- E. Monitoring

Answer: B, C

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSGSPN_8.6.0/com.ibm.tivoli.itws.doc_8.6/awsdx_topics/awsdxeventmanagementplug-in.htm?lang=fr)

[01.ibm.com/support/knowledgecenter/SSGSPN_8.6.0/com.ibm.tivoli.itws.doc_8.6/awsdx_topics/awsdxeventmanagementplug-in.htm?lang=fr](http://www-01.ibm.com/support/knowledgecenter/SSGSPN_8.6.0/com.ibm.tivoli.itws.doc_8.6/awsdx_topics/awsdxeventmanagementplug-in.htm?lang=fr)

QUESTION NO: 8

What are three parameters that can be configured in the localopts file?

- A. plan auditing

- B. mailman caching
- C. agent SSL configuration
- D. netman configuration parameters
- E. number of days to save job statistics
- F. maximum length of the preproduction plan in days

Answer: B, C, F

QUESTION NO: 9

Which workstation type is required when defining the workstation definition for a dynamic domain manager configured as a backup?

- A. FTA
- B. AGENT
- C. BROKER
- D. MANAGER

Answer: B

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSGSPN_9.1.0/com.ibm.tivoli.itws.doc_9.1/distr/src_tsweb/General_Help/awsrgworkstationconcept.htm?cp=SSGSPN_9.1.0%2F4-6-8-0-0)

[01.ibm.com/support/knowledgecenter/SSGSPN_9.1.0/com.ibm.tivoli.itws.doc_9.1/distr/src_tsweb/General_Help/awsrgworkstationconcept.htm?cp=SSGSPN_9.1.0%2F4-6-8-0-0](http://www-01.ibm.com/support/knowledgecenter/SSGSPN_9.1.0/com.ibm.tivoli.itws.doc_9.1/distr/src_tsweb/General_Help/awsrgworkstationconcept.htm?cp=SSGSPN_9.1.0%2F4-6-8-0-0)

QUESTION NO: 10

When is a local parameter in a job scheduled turn on a fault-tolerant agent (FTA) resolved?

- A. When the job runs.
- B. When the job stream is defined.
- C. When the FINAL job stream runs.
- D. When the job stream is submitted.

Answer: D

QUESTION NO: 11

DUMPSBOSS.COM