



# CA Application Performance Management Administrator Exam

[CA Technologies CAT-120](#)

Total Questions: 10  
Version Demo

<https://dumpsarena.com>  
[sales@dumpsarena.com](mailto:sales@dumpsarena.com)

**QUESTION NO: 1**

Which feature provides an easy way to turn off a set of alerts during a known application downtime period, such as system maintenance?

- A. Alert deferrals
- B. Alert blackouts
- C. Alert suspensions
- D. Alert postponements

**Answer: B**

**QUESTION NO: 2**

All CA Customer Experience Manager (CA CEM) configuration information is stored in a .config file. Which configuration management task creates a .config file?

- A. Export
- B. Import
- C. Backup
- D. Download

**Answer: A**

**QUESTION NO: 3**

Report template elements get data from:

- A. the Dashboard
- B. metric groupings
- C. regex statements
- D. the management information base (MIB) file

**Answer: B**

**QUESTION NO: 4**

You are configuring the Environment Performance Agent (EPA) that came bundled with your Enterprise Manager. Which configuration file do you use?

- A. EPAgent.pbd
- B. IntroscopeAgent.properties
- C. IntroscopeEPAgent.properties
- D. IntroscopeEnterpriseManager.properties

**Answer: C**

**QUESTION NO: 5**

When using the directive TraceOneMethodIfFlagged, what determines the type of metrics that will be generated?

- A. Tracer type
- B. Metric name
- C. Method name
- D. Tracer group name

**Answer: A**

**QUESTION NO: 6**

When you create metric groupings in the Investigator, you specify the data you want the metric grouping to display, using regular expression language from Perl 5 in the metric grouping Agent Expressions and Metric Expressions fields. A fully qualified metric name of a metric in a Resource looks like this:

```
Acme|cl737019-a|AcmeUSA|AcmeWest|GC Heap:BytesIn
```

Use In this example, what does AcmeWest represent?

- A. Domain
- B. Process
- C. Resource
- D. Agent name

**Answer: D**

**QUESTION NO: 7**

If you want to limit an Event Database search to error events only, which query should you use?

- A. type:normal
- B. type:sampled
- C. type:errorsnapshot
- D. type:whatsinteresting

**Answer: C**

**QUESTION NO: 8**

What is the main advantage of modifying the default metric set of a CA Introscope Agent to monitor fewer classes?

- A. The Agent can report component activity at a more granular level.
- B. A modified metric set creates more visibility for the classes monitored.
- C. Agent performance can be improved by minimizing the Agents system overhead.
- D. The Agent can report Enterprise Java Bean (EJB) activity at a more granular level.

**Answer: C**

**QUESTION NO: 9**

Deleting a management module:

- A. removes the associated jar file from the operating system of the Enterprise Manager.
- B. does not remove the .jar file from the operating system of the Enterprise Manager and makes no changes to the file.
- C. does not remove the .jar file from the operating system of the Enterprise Manager, but copies it to a folder named MM\_old.
- D. does not remove the jar file from the operating system of the Enterprise Manager, but renames it by appending the suffix ".inactive".

**Answer: A**

**QUESTION NO: 10**

What is a characteristic of the CA Introscope boundary blame feature?

- A.** Boundary blame is disabled by default.
- B.** Disabling Boundary blame in an agent will generate fewer metrics than an agent with boundary blame enabled.
- C.** The boundary blame metric tree provides visibility to each component in the stack, showing a called component for every calling component.
- D.** Boundary blame gives visibility into the front-end components and the back-end component with all components between these two not in the blame stack.

**Answer: D**