

DUMPSBOSS.COM

Zend PHP 5.3 Certification

Zend 200-530

Version Demo

Total Demo Questions: 15

Total Premium Questions: 254

Buy Premium PDF

<https://dumpsboss.com>

support@dumpsboss.com

dumpsboss.com

QUESTION NO: 1

Consider the following two files. When you run test.php, what would the output look like?

```
test.php:
include("MyString.php");
print ", ";
print strlen("Hello world!");

MyString.php:
namespace MyFramework\String;
function strlen($str)
{
    return \strlen($str)*2; // return double the string length
}
print strlen("Hello world!");
```

- A. 12, 12
- B. 12, 24
- C. 24, 12
- D. 24, 24
- E. PHP Fatal error. Cannot redeclare strlen()

ANSWER: C**QUESTION NO: 2**

When uploading a file to a PHP script using the HTTP PUT method, where would the information about this file be available?

- A. the \$_FILES super-global
- B. the input stream php://stdin
- C. the \$_POST super-global
- D. the global variable scope

ANSWER: B

QUESTION NO: 3

Transactions are used to:

- A. guarantee high performance
- B. secure data consistency
- C. secure access to the database
- D. reduce the database server overhead
- E. reduce code size in PHP

ANSWER: B**QUESTION NO: 4**

You analyze the code of a colleague and see, it uses the function `strcasecmp`. You try it out to see what it does and use the following function call:

```
strcasecmp('hello my dear!', 'Hello my DEAR!');
```

The function call returns "0". What does that mean?

- A. String 1 is less than string 2.
- B. The strings are considered equal.
- C. String 2 is less than string 1.
- D. The strings have equal length.

ANSWER: B**QUESTION NO: 5**

Which of the following statements about PHP is true? (Choose 3)

- A. A final class can be derived.
- B. A final class may be instantiated.
- C. A class with a final function may be derived.
- D. Static functions can be final.

E. Properties can be final.

ANSWER: B C D

QUESTION NO: 6

An HTML form contains this form element

When this form is submitted, the following PHP code gets executed:

```
move_uploaded_file(  
$_FILES['myFile']['tmp_name'],  
'uploads/' . $_FILES['myFile']['name']);
```

Which of the following actions must be taken before this code may go into production?

(Choose 2)

- A. Check with `is_uploaded_file()` whether the uploaded file `$_FILES['myFile']['tmp_name']` is valid
- B. Sanitize the file name in `$_FILES['myFile']['name']` because this value is not consistent among web browsers
- C. Check the charset encoding of the HTTP request to see whether it matches the encoding of the uploaded file
- D. Sanitize the file name in `$_FILES['myFile']['name']` because this value could be forged
- E. Use `$HTTP_POST_FILES` instead of `$_FILES` to maintain upwards compatibility

ANSWER: B D

QUESTION NO: 7

Would the following code catch a parse error?

```
try {  
echo $label  
} catch (Exception $e) {  
echo $e->getMessage();  
}
```

A. Yes

B. No

ANSWER: B

QUESTION NO: 8

When a transaction reports no affected rows, it means that: (Choose 2)

A. The transaction failed

B. The transaction affected no lines

C. The transaction was rolled back

D. The transaction was committed without error

ANSWER: A B

QUESTION NO: 9

How can the constant defined below be accessed from within PHP?

```
class myClass {  
    const FOO = 'BAR';  
}
```

A. myClass::\$FOO

B. myClass::\$\$FOO

C. myClass::FOO

D. myClass::foo

E. \$foo::myClass

ANSWER: C

QUESTION NO: 10

The following code piece should print "PHP is cool", but unexpectedly, it just prints "cool".

How would you correct it?

```
echo str_replace('PHP is a pain.', 'a pain', 'cool');
```

- A. `str_replace('PHP is a pain.', 'cool', 'a pain');`
- B. `str_replace('a pain', 'cool', 'PHP is a pain.');`
- C. `str_replace('cool', 'a pain', 'PHP is a pain.');`

ANSWER: B

QUESTION NO: 11

Which of the following encryption standards provides symmetric key encryption? (Choose 2)

- A. AES
- B. Blowfish
- C. DES
- D. RSA

ANSWER: A B

QUESTION NO: 12

How many times will the function `counter()` be executed in the following code?

```
function counter($start, &$stop)
{
    if ($stop > $start)
    {
        return;
    } counter($start--, ++$stop);
}
```

```
$start = 5;  
$stop = 2;  
counter($start, $stop);
```

- A. 3
- B. 4
- C. 5
- D. 6

ANSWER: C

QUESTION NO: 13

What tags can always be used to begin a PHP script? (Choose 2)

- A. <?php
- B. <?
- C. <%
- D. <%php
- E. <script language="php">

ANSWER: A E

QUESTION NO: 14

Which of the following rules must every correct XML document adhere to? (Choose 2)

- A. It has to be well-formed.
- B. It has to be valid.
- C. It has to be associated to a DTD.
- D. It may only contain UTF-8 encoded characters.

ANSWER: A B

QUESTION NO: 15

Which of the following statements about Reflection are correct? (Choose 2)

- A.** Since 5.1 reflection is an extension that can be disabled
- B.** Reflection is present in any installation of PHP 5 or later
- C.** Reflection only allows to reflect on built-in classes
- D.** Built-in classes can be reflected on command line using `php -rc`

ANSWER: A D