

# DUMPSARENA

## Zend PHP 5.3 Certification

[Zend 200-530](#)

**Total Questions: 10**  
**Version Demo**

<https://dumpsarena.com>  
[sales@dumpsarena.com](mailto:sales@dumpsarena.com)

### QUESTION NO: 1

Which of the following keywords is not new in PHP 5?

- A. implements
- B. instanceof
- C. static
- D. abstract

**Answer: C**

### QUESTION NO: 2

You want to present the following formatted number: "999.000.000,00". Which function call is correct?

- A. `print format_number(999000000);`
- B. `print number_format(999000000);`
- C. `print number_format(999000000, 2, ',', '.');`
- D. `print number_format(999000000, 2);`
- E. `print_number(999000000, 2, ',', '.');`

**Answer: C**

### QUESTION NO: 3

You are creating an application that generates invoices in a variety of formats, including PDF, ODS and HTML. Each of these formats is represented as a PHP class in your application. While some of the operations can be performed on all of the different formats (such as saving and loading), other operations may be specific to one or two of the formats

(such as setting as read only). Which design pattern should you use for this application?

- A. Adapter
- B. Factory
- C. MVC
- D. Singleton

**Answer: B**

**QUESTION NO: 4**

Under which circumstances is the `$_SESSION` super-global available? (Choose 2)

- A. If `session_start()` was called.
- B. If `session.auto_start` INI setting is enabled.
- C. Always available in PHP 5.
- D. If a valid session id is passed via GET, POST or COOKIE.
- E. If `register_globals` are enabled.

**Answer: A,B**

**QUESTION NO: 5**

You have a variable `$test` that contains sub-strings divided by a dash ("-"). How can you put every sub-string into an array element easily?

- A. `extract($test, "-");`
- B. `explode("-", $test);`
- C. `to_array($test, "-");`
- D. `explode($test, "-");`

**Answer: B**

**QUESTION NO: 6**

What can NOT be used to send a cookie from within a PHP application?

- A. header()
- B. \$\_COOKE
- C. setcookie()
- D. setrawcookie()

**Answer: B**

**QUESTION NO: 7**

What type of class definition can be used to define multiple inheritance?

- A. Class
- B. Abstract
- C. Interface
- D. Final

**Answer: C**

**QUESTION NO: 8**

An unbuffered query will: (Choose 2)

- A. Return the first data faster
- B. Return all data faster
- C. Free connection faster for others scripts to use
- D. Use less memory

**Answer: A,D**

---

**QUESTION NO: 9**

Would the following code catch a parse error?

```
try {  
  
echo $label  
  
} catch (Exception $e) {  
  
echo $e->getMessage();  
  
}
```

- A. Yes
- B. No

**Answer: B**

---

**QUESTION NO: 10**

Which of the following will set a 10 seconds read timeout for a stream?

- A. `ini_set("default_socket_timeout", 10);`
- B. `stream_read_timeout($stream, 10);`
- C. Specify the timeout as the 5th parameter to the `fsockopen()` function used to open a stream
- D. `stream_set_timeout($stream, 10);`
- E. None of the above

**Answer: D**

DUMPSARENA