DUMPSDOSS.

Cisco Application Centric Infrastructure for System Engineers

Cisco 700-702

Version Demo

Total Demo Questions: 10

Total Premium Questions: 58

Buy Premium PDF

https://dumpsboss.com

support@dumpsboss.com

dumpsboss.com



QUESTION NO: 1

With which option can the Cisco Application Policy Infrastructure Controller be configured?

- A. With the Cisco UCS Manager GUI
- B. With a service level agreement
- C. With the Cisco UCS Central interface
- **D.** With the application programming interface
- E. With the CLI

ANSWER: E

QUESTION NO: 2

Which three statements about a Cisco ACI Layer 3 connection to an external network are true? (Choose three.)

- **A.** The Cisco ACI fabric is considered a transit network.
- B. Routes learned from the outside are redistributed into ISIS.
- **C.** Routes learned from the outside are redistributed into MP-BGP.
- **D.** A leaf switch can peer with an external router.
- E. A leaf switch cannot peer with an external router.
- F. The Cisco ACI fabric is intended to be a stub network.

ANSWER: C D F

QUESTION NO: 3

What does the role-based access control in the Cisco Application Policy Infrastructure Controller provide?

- A. RBAC is not supported in Cisco ACL
- B. File system separation
- C. The distributed database
- D. Per-tenant admin separation

ANSWER: D



QUESTION NO: 4

What is a Cisco ACI VMM?

- A. Virtual Machine Mobility
- B. Virtual Machine Controller
- C. Virtual Machine Monitor
- D. Virtual Machine Manager

ANSWER: D

QUESTION NO: 5

In which two ways can Layer 4 to Layer 7 services be integrated with Cisco ACI? (Choose two.)

- A. A Layer 4 to Layer 7 appliance can program the Cisco APIC.
- B. The Cisco APIC controls and automatically configures Layer 4 to Layer 7 services via device packages
- C. Using traditional VLAN/VRF stitching.
- D. The Cisco APIC does not integrate with third-party appliances.

ANSWER: A B

QUESTION NO: 6

Which Cisco Application Centric Infrastructure component is responsible for policy instantiation?

- A. Database tier
- **B.** Logical model
- C. Leaf
- D. Application network profile
- E. Application tier
- F. Controller

ANSWER: D

QUESTION NO: 7



Which three authentication protocols can be configured in the Cisco Application Policy Infrastructure Controller?	(Choose
three)	

- A. CHAP
- B. EAP
- C. TACACS+
- D. RADIUS
- E. Kerberos
- F. DIAMETER
- G. LDAP

ANSWER: CDG

QUESTION NO: 8

Which two statements about endpoints that are inside the fabric are true? (Choose two)

- A. The location is found via the proxy mapping database.
- **B.** The forwarding policy is defined by the IP routing table
- C. The forwarding policy is defined by contracts between EPGs.

ANSWER: A C

QUESTION NO: 9

What do atomic counters do?

- A. Count the number of leaves a flow uses
- B. Count the number of ports used
- C. Count the amount of time passed
- D. Count the number of packets received

ANSWER: D

QUESTION NO: 10

Which two statements about connecting the Cisco ACI fabric to an outside Layer 2 network are true? (Choose two)



- **A.** The BPDU frame is flooded within a bridge domain.
- B. Policy must be created to allow BPDU frames to be flooded within an EPG
- **C.** The BPDU frame is not flooded within an EPG.
- **D.** The BPDU frame is automatically flooded within an EPG.
- **E.** The Cisco ACI fabric does not run the Spanning Tree Protocol.
- **F.** The Cisco ACI fabric runs the Spanning Tree Protocol.

ANSWER: A D E