

# DUMPSBOSS.COM

## Introduction to Programming Using Java

Microsoft 98-388

Version Demo

Total Demo Questions: 10

Total Premium Questions: 42

Buy Premium PDF

<https://dumpsboss.com>

[support@dumpsboss.com](mailto:support@dumpsboss.com)

dumpsboss.com

## Topic Break Down

Topic	No. of Questions
Topic 1, Topic 1, Understand Java fundamentals	9
Topic 2, Topic 2, Work with data types, variables, and expressions	17
Topic 3, Topic 3, Implement flow control	8
Topic 4, Topic 4, Perform object-oriented programming	5
Topic 5, Topic 5, Compile and debug code	3
Total	42



**QUESTION NO: 1**

The question requires that you evaluate the underlined text to determine if it is correct.

You have the following class definition:

```
class Logger
{
    public void logError(String message)
    {
    }
}
```

The logError method can be invoked by code in all classes in the same package as the Logger class.

Review the underlined text. If it makes the statement correct, select "No change is needed." If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. only by the Logger class
- C. only by the Logger class and classes in the same package that inherit from it
- D. by all classes in all packages

**ANSWER: C****QUESTION NO: 2 - (HOTSPOT)**

HOTSPOT

You are writing a Java method.

The method must meet the following requirements:

- Accept a String array named entries
- Iterate through entries
- Stop the iteration and return false if any element has more than 10 characters ▪ Otherwise, return true

How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

### Answer Area

```
public boolean validateEntries(String[] entries) {  
  
    boolean allValidEntries = true;  
  
    (String entry entries) {  
  
        do  
        for  
        while  
  
        ++  
        instanceof  
  
        if (entry.length() > 10) {  
  
            allValidEntries = false;  
  
            break;  
            continue;  
            goto;  
  
        }  
    }  
  
    return allValidEntries;  
}
```

ANSWER:

**Answer Area**

```
public boolean validateEntries(String[] entries) {  
  
    boolean allValidEntries = true;  
  
    (String entry  
do  
for  
while  
(String entry  
do  
for  
while  
++  
instanceof  
  
    if (entry.length() > 10) {  
  
        allValidEntries = false;  
  
        break;  
continue;  
goto;  
  
    }  
  
    return allValidEntries;  
}
```

**Explanation:****QUESTION NO: 3 - (HOTSPOT)****HOTSPOT**

You work on a team that develops e-commerce applications. A member of the team creates a class named DB that connects to a database. The class contains a method named query.

You need to initiate the DB class and invoke the query method.

How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

## Answer Area

DB db =

	▼
DB()	
new DB	
new DB()	


;

	▼
db.query()	
DB.query	
query()	

;

ANSWER:

## Answer Area



### Explanation:

#### References:

<https://docs.oracle.com/javase/8/docs/api/java/lang/reflect/Method.html#invoke-java.lang.Objectjava.lang.Object...->

## QUESTION NO: 4 - (HOTSPOT)

### HOTSPOT

You work as a Java programmer. A member of the team creates the following program. Line numbers are included for reference only.

```
01 public static void main(String[] args) {  
02     int timer = 60;  
03  
04     while (timer => 0)  
05     {  
06         if (timer = 0)  
07             break;  
08         else  
09         {  
10             System.out.println("The timer is counting down...");  
11             timer++;  
12         }  
13     }  
14 }
```

The program is supposed to display a message to the console while it counts down from 60. The method does not work as intended.

How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

**Hot Area:**



## Answer Area

```
public static void main(String[] args) {  
    int timer = 60;
```

```
    while (timer
```

<=
>=
==
=>

```
    if (timer
```

!=
==
=
=>

```
        break;
```

```
    }  
    else {
```

```
        System.out.println("The timer is counting down...");
```

```
        timer
```

+=
++
-
--
-=

```
    }  
}
```

**ANSWER:**

**Answer Area**

```
public static void main(String[] args) {  
    int timer = 60;
```

```
    while (timer
```

<=
>=
==
=>

```
    if (timer
```

!=
==
=
=>

```
        break;
```

```
    }  
    else {  
        System.out.println("The timer is counting down...");
```

```
        timer
```

+=
++
-
--
-=

**Explanation:**

References: <https://docs.oracle.com/javase/tutorial/java/nutsandbolts/operators.html>

**QUESTION NO: 5**

The question requires that you evaluate the underlined text to determine if it is correct.

You should use an int data type to store the numeric value 3,000,000,000 (3 billion) so that the least amount of memory is used.

Review the underlined text. If it makes the statement correct, select "No change is needed." If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed.
- B. a short
- C. a byte
- D. a long

**ANSWER: D**

#### QUESTION NO: 6

You need to evaluate the following code segment:

```
double dNum = 2.667;  
int iNum = 0;  
iNum = (int)dNum;
```

What happens when the code segment is run?

- A. iNum has a value of 0.
- B. An exception is thrown.
- C. iNum has a value of 2.
- D. iNum has a value of 3.

**ANSWER: C**

#### QUESTION NO: 7 - (DRAG DROP)

DRAG DROP



You need to evaluate the following Java program. Line numbers are included for reference only.

```
01 public class JavaProgram1
02 {
03     int x = 25;
04
05     public static void main(String[] args)
06     {
07         JavaProgram1 app = new JavaProgram1();
08         {
09             int x = 5;
10         }
11         {
12             int x = 10;
13         }
14         int x = 100;
15         System.out.println(x);
16         System.out.println(app.x);
17     }
18     public JavaProgram1()
19     {
20         int x = 1;
21         System.out.println(x);
22     }
23 }
```

Which three values will be displayed in sequence? To answer, move the appropriate values from the list of values to the answer area and arrange them in the correct order.

NOTE: Each correct selection is worth one point.

**Select and Place:**

Values		Answer Area
1		
5		
10		
25		
100		

**ANSWER:**



Values		Answer Area
1		1
5		100
10	>	25
25	<	
100		

**Explanation:**

### QUESTION NO: 8

You work as a Java programmer.

You need to convert a numeric String to a primitive double value.

What code segment should you use?

- A. `Double.valueOf(numberString);`
- B. `double.parseDouble(numberString);`
- C. `String.parseDouble(numberString);`
- D. `Double.parseDouble(numberString);`

**ANSWER: B**

**Explanation:**

References: <https://www.javacodeexamples.com/convert-string-to-primitive-example/140>

### QUESTION NO: 9

You need to analyze the following code segment. Line numbers are included for reference only.

```
01 public void printInt()  
02 {  
03     if (true) {  
04         int num = 1;  
05         if (num > 0) {  
06             num++;  
07         }  
08     }  
09     int num = 1;  
10     addOne(num);  
11     num = num - 1;  
12     System.out.println(num);  
13 }  
14  
15 public void addOne(int num)  
16 {  
17     num = num + 1;  
18 }
```

What is the output of line 12 when you run printInt()?

- A. 0
- B. 1
- C. 2
- D. 3

**ANSWER: A**

#### QUESTION NO: 10

You have the following code segment. Line numbers are included for reference only.

```
01 public static void main(String[] args)  
02 {  
03     double number = 27;  
04     number %= -3d;  
05     number += 10f;  
06     number *= -4;  
07     System.out.println(number);  
08 }
```

What is the output of line 07?

- A. -44

B. -40.0

C. 40.0

D. 44.0

**ANSWER: B**

DUMPSBOSS.COM