# DUMPSDOSS.

# NCSS SDM ONE NDS OaM-TSH-16.0

Nokia NCM 20002021610

**Version Demo** 

**Total Demo Questions: 10** 

**Total Premium Questions: 60** 

**Buy Premium PDF** 

https://dumpsboss.com

support@dumpsboss.com

dumpsboss.com



0	П	E	T	71	O	N	N	10	7	-	1
w	u	Е,	3 I	ш	J	IN	- 1	ж	ͺ		

What is changeover in NDS terms?

- A. It is the concept of switching over the LDAP connections from one DS node to another.
- **B.** It is the concept of making the Primary standby node as the primary.
- **C.** It is the concept of swapping the old outdated hardware to a new one.
- **D.** The concept of updating the software version if the NDS, thus causing a change.

# **ANSWER: C**

#### **QUESTION NO: 2**

A special search property that allows the Idap user to retrieve large number of objects from the database without impacting the normal functioning of the DS is called:

- A. Stream search.
- B. Proxy search using 16680 port.
- C. safeorg.
- D. Safe search.

#### **ANSWER: B**

#### **QUESTION NO: 3**

Segmented routing layer can be deployed on which of the following HW types?

- A. HP Gen 8 and Gen 9.
- **B.** Oralce X4250 & x4270.
- C. The feature is HW independent
- **D.** IBM Blades.

# **ANSWER: A**

#### **QUESTION NO: 4**



How do we manage LDAP users in the OneNDS?

- A. LDAP users can be managed via 'LDAP user management' section of ADM GUI.
- **B.** LDAP users are managed on the Install server and distributed to all the nodes from there.
- C. Via the P6W GUI.
- **D.** LDAP users are managed only via the AEP packages.

ANSWER: C

# **QUESTION NO: 5**

Where can you get all the SPML requests that were executed on the PGW?

- **A.** All the requests executed will be stored in the directory /opt/provgw/tomcat/instanceX/logs/command\_logs/, with X= 1,2,3 being the instance number.
- **B.** All the requests which PGW executes are stored by PGW onto the ADM.
- C. PGW stores such a list in its database, which can be later queried based on the IMSI number.
- **D.** PGW does not store such a list and it is the responsibility of Provisioning client to store such information.

**ANSWER: A** 

#### **QUESTION NO: 6**

What is the maximum Number of DSA nodes that can be addressed by the ADM?

- **A.** 64BE-DSA + 1 R-DS
- **B.** 59 BE-DSA + 1 PG-DSA.
- C. 59 BE-DSA + 1 R-DSA.
- **D.** 64 BE-DSA + 1 PG-DSA + 1 R-DSA.

**ANSWER: D** 

# **QUESTION NO: 7**

OneND516 Skip upgrade refers to which of the below statements?

- A. Upgrade from OneNDS 9 SP2 to OneNDS 16.
- **B.** Upgrade from OneNDS 8 MP8 to OneNDS 16.



- C. Upgrade from OneNDS 9 Base to OneNDS 16.
- D. Upgrade from OneNDS 8 MP7 to OneNDS 16.

**ANSWER: B** 

# **QUESTION NO: 8**

What is a hanging reference?

- **A.** A situation where a particular DN is present on two BEDSAs.
- B. A situation where the IMSI/MSISDN alias of a subscriber exists but the actual subscriber data is missing.
- C. situation where a reference to DN exists in the RDSA, but the DN itself is missing in the BEDSA.
- **D.** A situation where a DN is present in the BEDSA but missing in the RDSA.

**ANSWER: A** 

## **QUESTION NO: 9**

A batch request consists of many sub-requests. What is the maximum numbers of sub-requests possible in a batch request?

- A. There is no limitation.
- **B.** 50,000.
- C. 50,000 if batch request is executed over sftp interface. 20 when batch request is executed over SOAP interface.
- **D.** 500.

ANSWER: B

#### **QUESTION NO: 10**

Which of the following can NOT be achieved through AEP fallback?

- A. PGW modules like AM,AS,AS\_OAM etc.
- B. Trigger packages and unified PC.
- C. Data model packages.
- **D.** PGW configuration data fallback.

**ANSWER: D**