

DUMPSBOSS.COM

Content Services Certified Engineer

Alfresco ACSCE-5X

Version Demo

Total Demo Questions: 10

Total Premium Questions: 87

Buy Premium PDF

<https://dumpsboss.com>

support@dumpsboss.com

dumpsboss.com

QUESTION NO: 1

When are Alfresco-specific database tables created within the database?

- A. On the first login by the “admin” user.
- B. Prior to installing Alfresco Content Services.
- C. During the initial startup of the Alfresco Content Services repository.
- D. During installation before the application server starts.

ANSWER: C

QUESTION NO: 2

To which content model entities can a behavior be associated with? (Choose two.)

- A. Aspects.
- B. Types.
- C. Constraints.
- D. Rules.
- E. Associations.

ANSWER: A B

QUESTION NO: 3

If an object is moved to a different folder, what will happen to the node's security permissions?

- A. It will inherit the ACL from the new parent folder.
- B. It will inherit the ACL from the user who is moving it.
- C. It will inherit the system wide ACL.
- D. It will keep its old ACL.

ANSWER: A

QUESTION NO: 4

Share UI configuration will allow you to control which aspects a user sees. What other two things (out of the box) can be controlled? (Choose two.)

- A. The combinations of aspects that can be applied together.
- B. The aspects that can be applied based on the underlying type.
- C. The aspects that can be removed once applied.
- D. The aspects a user can add.
- E. The aspects that are mandatory.

ANSWER: A B

QUESTION NO: 5

In Share the Document Library defines a number of "action groups" which determine the actions shown to the user. What would determine the action group used? (Choose two.)

- A. The type of node.
- B. The aspects applied to the node.
- C. The mime type of the node.
- D. The status of the document.
- E. The current user.
- F. The view currently in use.

ANSWER: A F

QUESTION NO: 6

Which of the following APIs facilitate the development of a remote client that can access both Cloud and On-Premise Alfresco Content Services repositories? (Choose two.)

- A. Repository JavaScript API
- B. FreeMarker Template API
- C. Alfresco Content Services API
- D. Public Java API

E. CMIS API

ANSWER: A E

QUESTION NO: 7

Which of the following is NOT an out-of-the-box root scoped object in the Java Script API?

- A. space
- B. log
- C. document
- D. companyhome

ANSWER: B

QUESTION NO: 8

Which statement would return the username of the currently logged-in user?

- A. session.userName
- B. session.properties["cm:userName"]
- C. person.userName()
- D. person.properties.userName

ANSWER: D

Explanation:

References: <https://community.alfresco.com/thread/166713-javascript-name-of-current-user>

QUESTION NO: 9

Which searches are possible to execute with CMIS 1.1 cmis:item support on Alfresco? (Choose two.)

- A. select * from cmis:item
- B. select * from sys:base
- C. select * from rule:rule

D. select * from bpm:package

E. select * from cm:person

ANSWER: A E

Explanation:

References: <https://docs.alfresco.com/5.0/practice1/concepts/cmis-1.1-item-support.html>

QUESTION NO: 10

Alfresco Content Services defines some root objects to use with Web Scripts FreeMarker templates. Which one of the following objects is NOT a default root object?

A. args

B. user

C. url

D. workflow

ANSWER: C