CompTIA Linux+ Certification Exam

CompTIA XK0-004

Version Demo

Total Demo Questions: 20

Total Premium Questions: 667 Buy Premium PDF

> https://dumpsboss.com support@dumpsboss.com

dumpsboss.com



QUESTION NO: 1

An administrator wants to use a Linux server's GUI remotely but is limited by security to using TCP port 22. Which of the following is the BEST choice for installation on the Linux server to enable this functionality?

A. X-forwarding

B. NX

C. VNC

D. XRDP

ANSWER: C

QUESTION NO: 2

Which of the following commands will verify the size of a swap partition? (Seled TWO).

- A. Isscsi
- B. cat /proc/meminfo
- C. cat /proc/icports
- D. lausb
- E. Iscpu
- F. lablk

ANSWER: B F

QUESTION NO: 3

A company requires all servers to be configured with the BIOS on Coordinated Universal Time and the OS on Central Standard Time.

Which of the following can be used to change the time according to these requirements? (Choose two.)

A. localectl

- B. LC_ALL
- C. date
- D. time

E. hwclock

F. crontab

ANSWER: C E

QUESTION NO: 4

A Linux administrator is developing a Bash script to close specific ports on a server firewall. The administrator is not certain of the default port for the Internet Message Access Protocol.

Which of the following files should the administrator check to determine the default port?

A. /etc/network

- B. /etc/default/ufw
- C. /etc/resolv.conf
- D. /etc/services

ANSWER: D

QUESTION NO: 5

An administrator is trying to optimize a connection to an off-site NFS server.

Which of the following commands would BEST display the problems with packet sizes between hops on the network?

- A. tracepath
- B. ping
- C. tracert
- **D.** nmap

ANSWER: A

QUESTION NO: 6

Which of the following would allow remote users to access a corporate server? (Choose two.)

- A. VPN server
- B. SMTP server
- C. NTP server



- D. SSH server
- E. DHCP server

F. File server

ANSWER: A D

QUESTION NO: 7

A junior systems administrator is diagnosing an issue with latency. The administrator issues the command mtr www.comptia.org at a terminal and receives the following output:

Host	Packets			Pings			
	Loss %	Sent	Last	Avg	Best	Worst	StDev
1. 10.0.5.2	3 %	345	0.6	0.7	0.3	19.6	1.2
2. 192.168.0.1	30 %	345	0.6	45	0.1	0.2	0.04
3. 216.239.14.33	100 %	0	0	0	0	0	0

Given this scenario and the output, which of the following should be reported to the network team for investigation? (Choose two.)

- A. Host 1 is set to filter ICMP reply packets.
- B. Host 1 is set to filter ICMP echo packets.
- C. Host 2 is experiencing high packet loss, indicating the link is overloaded.
- D. Host 2 is experiencing low bandwidth, indicating the ISP is blocking traffic.
- E. Host 3 is set to filter ICMP reply packets.
- F. Host 3 is set to filter ICMP echo packets.

ANSWER: C F

QUESTION NO: 8 - (DRAG DROP)

DRAG DROP

As a Systems Administrator, to reduce disk space, you were tasked to create a shell script that does the following:

Add relevant content to /tmp/script.sh, so that it finds and compresses rotated files in /var/log without recursion.

INSTRUCTIONS

Fill the blanks to build a script that performs the actual compression of rotated log files.


If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

Select and Place:

Snippets			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
tar	until	záp	#1/bin/bash
ндсяр	awk	\$2.03	#name: script.sh
1967	pgrop	сереят	find /var/log -type f -maxdepth 1 grep (?) > /tmp/tempfile
/Tep/Lempfile	Torist	fileniese	(cat)
nan	then	"10g;[1+6]\$"	do
C* 3	doni	./varilor	(?) \$filename
ear.	10 m	.7\$17	
sed	gaip	"\$log.[1-0]\$"	
-rise			The second se

ANSWER:

DUMPSBOSS



Explanation:

QUESTION NO: 9

A systems administrator logs into a Linux server and must identify whether the server is a physical or virtual machine.

Which of the following commands should the administrator run?

- A. vmstat
- B. cat /proc/cpuinfo
- C. dmidecode
- **D.** modinfo

ANSWER: C

QUESTION NO: 10

A systems administrator installed Git on a new workstation and wants to ensure all Git projects on this machine are initialized with the same username and email address. Which of the following should the administrator use to meet this goal? (Choose two.)

A. git config --global user.name = "James Doe"

DUMPSBOSS

- B. echo 'email.addr = "jdoe@comptia.org" >> .git/.gitconfig
- C. echo 'username' = "James Doe"' >> .git/.gitconfig
- **D.** git config username = "James Doe"
- E. git config --global user.email = "jdoe@comptia.org"
- F. git config email.addr = jdoe@comptia.org"

ANSWER: A E

QUESTION NO: 11 - (SIMULATION)

SIMULATION

Find the file named core and remove it from the system.

INSTRUCTIONS

Type "help" to display a list of available commands.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

Linux Shell





ANSWER: See explanation below.

Explanation:



Reference: https://www.cyberciti.biz/faq/linux-unix-how-to-find-and-remove-files/

QUESTION NO: 12

A junior systems administrator needs to make a packet capture file that will only capture HTTP protocol data to a file called test.pcap.

Which of the following commands would allow the administrator to accomplish this task?

- A. netcat -p 80 -w test.pcap
- B. tshark -r test.pcap -o http
- C. tcpdump -i eth0 port 80 -r test.pcap
- D. tcpdump -i eth0 port 80 -w test.pcap

ANSWER: B

QUESTION NO: 13

While trying to access a website hosted on the server, the systems administrator receives the following error message:

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>403 Forbidden</title>
</head><body>
<h1>Forbidden</h1>
You don't have permission to access /website/index.html
on this server.
</body><html>
```

The administrator then performs some diagnostics:

/var/www/html: drwxr-xr-x. root root unconfined_u:object_r:httpd_sys_content_t:s0 website /var/www/html/website: -rw-r--r-. root root unconfined u:object r:default t:s0 index.html

SELinux status: enabled SELinuxfs mount: /sys/fs/selinux SELinux root directory: /etc/selinux Loaded policy name: targeted Current mode: enforcing Mode from config file: enforcing Policy MLS status: enabled Policy deny_unknown status: allowed Max kernel policy version: 31

Which of the following commands should the administrator use to fix the issue?

- A. chown -R www:www /var/www/website
- B. chcon -t httpd_sys_content_t /etc/httpd
- C. chmod -R 777 /var/www/website
- D. restorecon /var/www/html/website/index.html

ANSWER: D

QUESTION NO: 14

A junior systems administrator is upgrading a package that was installed on a Red Hat-based system. The administrator is tasked with the following: • Update and install the new package.

Verify the new package version is installed.

Which of the following should be done to BEST accomplish these task? (Choose two.)

- A. yum install
- B. yum upgrade
- C. rpm –e
- **D.** rpm –qa
- E. apt-get
- F. apt-get upgrade

ANSWER: A D

Explanation:

Reference: https://access.redhat.com/documentation/en-us/red_hat_enterprise_linux/6/html/deployment_guide/ch-yum

QUESTION NO: 15

An administrator is reviewing updates in the master online Git repository and notices a file named .htaccess. The file contains passwords and should only be in the administrator's local repository, not the online one. Which of the following would prevent this file from appearing online in the future?

- A. git commit -m "File Update" -x .htaccess
- B. sed -i 's/#Preserve Hidden=True/Preserve Hidden=True/g' .git/config
- C. chown nobody:nodoby .htaccess
- **D.** echo ".htaccess" >> .gitignore

ANSWER: D

QUESTION NO: 16

A systems administrator downloads an application's source files, compiles the application, and installs it per

the application's installation instructions. When trying to run the application, the system states:

\$ occmd

bash: occmd: command not found...

Running the locate command shows it does exist in the following location:

/opt/occmd/bin/occmd

Which of the following should the administrator do to allow the command to run properly? (Choose two.)

- A. sudo In -s /opt/occmd/bin/occmd /usr/local/bin/occmd
- B. echo "export PATH=\$PATH:/opt/occmd/bin" >> ~/.bashrc
- C. mv /opt/occmd ~/ && In -s ~/occmd/bin/occmd ./occmd
- D. echo "#!/bin/bash \n \${which occmd}" > /usr/bin/occmd.sh
- E. sudo mv /opt/occmd/bin/occmd /etc/bin/
- F. cd /opt/occmd/bin && chmod +x ./occmd && restorecon -rv *

ANSWER: E F

QUESTION NO: 17

A Linux user needs to create a file named newfile in the home directory that mirrors the contents of the /

etc/resolv.conf file.

Which of the following commands would accomplish this task?

- A. cat /etc/resolv.conf > /home/user/newfile
- B. echo /etc/resolv.conf > /home/user/newfile
- C. grep /etc/resolv.conf < /home/user/newfile
- D. printf /etc/resolv.conf > /home/user/newfile

ANSWER: A

QUESTION NO: 18

A technician reviews me following output:

```
Device
           Boot Start
                              End
                                          Sectors
                                                       Size
                                                              Id
                                                                   Type
              2048
/dev/sdal
                              121634815
                                                       58G
                                                              83
                                          121632768
                                                                   Linux
/dev/sda2
                 121636862
                              125827071
                                          4190210
                                                       2G
                                                              5
                                                                   Extended
/dev/sda5
                 121636864
                             125827071
                                          4190208
                                                              82
                                                       2G
                                                                   Linux swap
                      free
                             shared buff/cache available
     total used
     2052060 1545312 66676 33508 440072
                                               305308
mem:
             0
                      0
       0
Swap:
```

Which of the following commands should the technician execute to ensure the system has the appropriate paging? (Select TWO).

- A. dd if-/dev/sda5 of-/otp bs-512
- B. swapon./dev/sda5
- C. mksvap /dev/sda5
- D. mkfs.ext3 /dev/sda5
- E. iostat/dev/sda5
- F. free -m /dev/sda

ANSWER: B C

QUESTION NO: 19

A junior systems administrator is tasked with providing the network_administrators group the ability to perform sudo without prompting for a password. Which of the following steps should the administrator perform to accomplish this task? (Choose two.)

- A. Use visudo to edit the /etc/sudoers file and add network_administrators to the "wheel" group
- B. Use vi to edit the /etc/sudo file and add network_administrators to the "wheel" group
- C. Provide all network_administrators with the "root" account password
- D. Add the network_administrators ALL=(ALL) NOPASSWD: ALL directive to the /etc/sudoers file
- E. Add the network_administrators =(ALL) NOEXEC: ALL directive to the /etc/sudoers file

ANSWER: C D

QUESTION NO: 20

An administrator notices the HISTSIZE variable is 50, using the commands below:

HISTSIZE=50

export HISTSIZE

The administrator rechecks the HISTSIZE value using echo HISTSIZE but gets no value. Which of the

following commands should the administrator use to retrieve its value?

A. printenv | grep \$HISTSIZE

B. echo HISTSIZE

C. printf HISTSIZE

D. grep \$HISTSIZE

ANSWER: B