# DUMPSDOSS.

### **RCPE Certified Professional WAN Optimization**

Riverbed 830-01

**Version Demo** 

**Total Demo Questions: 10** 

**Total Premium Questions: 122** 

**Buy Premium PDF** 

https://dumpsboss.com

support@dumpsboss.com

dumpsboss.com



$\cap$	JFS1	M M	O- 1
IJι	JEO	<b>V</b>	

What does the SaaS Accelerator Manager	(SAM) use to calculate the ca	apacity of service instances	in the SaaS service
cluster based on the type of application?			

- A. Bandwidth
- B. Throughput
- C. Total Data Reduction
- D. Number of users

#### **Explanation:**

#### Reference:

https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=&ved=2ahUKEwiO7quJwfbvAhVRe8AKHb4BDPMQFj AAegQIBxAD&url=https%3A%2F%2Fsupport.riverbed.com%2Fbin%

2Fsupport%2Fdownload%3Fdid%3D3h2gbqnl1rsd1qht52p4lv0jmo%26version%3D1.1.0&usg=AOvVaw03c4Pw410CVlelxu35\_gJf

#### **QUESTION NO: 2**

If you have changed your Secure Vault password, and subsequently lose the password, which of the following statements are true?

- A. The Administrator can supply a password
- **B.** If an appliance reboots and the administrator is not present to supply the password, the sensitive data on the SteelHead will be inaccessible
- C. The password can be reset only after erasing all the information contained within the secure vault
- **D.** All of the above

			_		_		_
Δ	N	SI	N	Æ	R	•	Δ

#### QUESTION NO: 3

With \_\_\_\_\_ authentication, a client can retrieve a single object with a single authentication.

- A. per-request
- B. per-connection



- C. per-server
- D. per-use
- E. per-se

#### **ANSWER: B**

#### **Explanation:**

#### Reference:

 $https://support.riverbed.com/bin/support/static/lrj6rq1evg0fnm7pekuq3j2md1/html/vte4p5uj2dkg9k1ukjv82835ci/sh\_9.2\_dg\_protocols\_html/index.html\#page/sh\_9.2\_dg\_protocols/http.html$ 

#### **QUESTION NO: 4**

What can the SCC use to create consistent configurations across a group of SteelHead appliances?

- A. Interceptor appliances
- **B.** Collectors
- C. Appliance Pages
- D. Analyzers
- E. Policies

#### **ANSWER: E**

#### **Explanation:**

#### Reference:

 $https://support.riverbed.com/bin/support/static/rt4i75hgms30icqvtg3df1a2ge/html/55698e06ksavhq637jn9mga965/scc\_9.5\_dg_html/index.html\#page/scc\_9.5\_dg_html/overview.html$ 

#### **QUESTION NO: 5**

What is the purpose of HTTP Automatic Configuration?

- A. Automatically initiate an evaluation of traffic to a new web server to determine the most optimal setting
- B. Auto-generate web SSL certificates to a new web server
- C. Automatically detect non-standard HTTP ports for optimization
- D. Allow server-side SteelHead appliances to automatically connect to web servers



## ANSWER: D Explanation:

#### Reference:

https://support.riverbed.com/bin/support/static/lrj6rq1evg0fnm7pekuq3j2md1/html/vte4p5uj2dkg9k1ukjv82835ci/sh\_9.2\_dg\_protocols\_html/index.html#page/sh\_9.2\_dg\_protocols%2Fhttp.html% 23ww295009

#### **QUESTION NO: 6**

Which of the following are advantages of a Virtual In-path Policy-based Routing (PBR) deployment?

- A. Can be client or server side
- **B.** Asymmetry tolerant
- C. Compatible with IP v6
- D. Compatible with vast majority of routers
- E. All of the above

#### **ANSWER: C**

#### **Explanation:**

Reference:

https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=&ved=2ahUKEwjEs7uG5vbvAhXPasAKHfUgBJAQFjAGegQlAxAD&url=https%3A%2F%2Fsupport.riverbed.com%2Fbin%

2Fsupport%2Fdownload%3Fdid%3Doahqfgcn7gn062lbjvheud4lur%26version%3D9.9.0&usg=AOvVaw2VQ8M7xDUwXPLX 5Qc8wpXv

#### **QUESTION NO: 7**

You are configuring the Space Communications Protocol Specification (SCPS) Transport Settings to account for poor signal quality.

What setting should you choose?

- A. Per-Connection
- **B.** Error Recovery
- C. Error-Tolerant
- D. Bandwidth Estimation

#### **ANSWER: C**

#### **Explanation:**



ь.	c			
Re	TPI	rer	ነርድ	٠.

https://support.riverbed.com/bin/support/static/17qudtqont75l258qrbn4maj75/html/1mk0rjev5snblam40lgbg0mrgp/sh\_9.5\_dg\_html/index.html#page/sh\_9.5\_dg/satellite.html

#### **QUESTION NO: 8**

Concerning SCCM High Availability, in the event of an SCCM failure, the remaining SCCM(s) assume all the licenses for how many days?

- **A.** 10
- **B.** 20
- **C.** 30
- **D**. 60

#### **ANSWER: C**

#### **QUESTION NO: 9**

Which neighbour IP address must be specified when configuring connection forwarding?

- A. Any
- B. In-Path
- C. Auxiliary
- D. Primary
- E. Management IP

#### **ANSWER: B**

#### **Explanation:**

Reference:

https://support.riverbed.com/bin/support/static/pcr9vojfp932f0gmdicklcnkmq/html/iu06209f7na4qeqjk1le65qpu2/sh\_ex\_5.5\_ug html/index.html#page/sh ex 5.5 ug html/ setupAdvNet forwarding.html

#### **QUESTION NO: 10**

When configuring Path Selection and Interceptor Appliance Cluster, what is incompatible?

- A. IPv6
- B. VLAN segregation



- C. Xbridge feature
- **D.** All of the above

**ANSWER: C**