DUMPSDOSS.

VPLEX Specialist Exam for Storage Administrators

EMC E20-562

Version Demo

Total Demo Questions: 10

Total Premium Questions: 66

Buy Premium PDF

https://dumpsboss.com

support@dumpsboss.com

dumpsboss.com



<u></u>	П		CT	10	M	N	1		4
w	u	_	911	-	A N		v	П	

What is a consideration when using VPLEX RecoverPoint enabled consistency groups?

- **A.** Repository volume and journal volumes must be in different consistency groups.
- **B.** Local virtual volumes and distributed virtual volumes can be in the same consistency group.
- **C.** Local copy volumes and production volumes must reside in separate consistency groups.
- **D.** Production and local copy journals must be in different consistency groups.

Δ	N	S	W	F	R	•	В
_	. 17	J	**	_			_

QUESTION NO: 2

Which type of mobility is used to move data to a remote cluster in a VPLEX Metro?

- A. Device
- B. Extent
- C. MetroPoint
- **D.** Virtual volume

ANSWER: B

QUESTION NO: 3

What are the two common use cases of the VPLEX Mobility feature?


- A. NDU upgradesContinuous Data Protection
- B. Workload RebalanceDeduplication
- C. Workflow AutomationTech Refresh
- D. Tech RefreshWorkload Rebalance

ANSWER: D

QUESTION NO: 4

What happens to global cache size if a director fails and is removed from the cluster?

DUMPSBOSS
A. Suspends
B. Increases
C. Decreases
D . Remains as-is
ANSWER: D
OUTOTION NO. 5
QUESTION NO: 5
Which VPLEX model is recommended for VPLEX for All Flash (VAF)?
A. VS2 and VS6
B. VS6 only
C. VS2 only
D . VS1
ANSWER: B
QUESTION NO: 6
In addition to Active Directory, which other directory service can VPLEX integrate with for user authentication?
A . LDAP
B. NIS
C. NDS
D. PAM
ANSWER: A
QUESTION NO: 7



Which number in the exhibit highlights the Director-B front-end ports?

- **A**. 1
- **B.** 2
- **C**. 3
- **D**. 4

ANSWER: A

QUESTION NO: 8

Which type of statistics is used to track latencies, determine median, mode, percentiles, minimums, and maximums?

- A. Buckets
- **B.** Monitors
- C. Readings
- D. Counters



ANSWER: A

QUESTION NO: 9

How are physical ports numbered for each I/O module in VS6 VPLEX hardware?

- A. Director-A: 0 to 3 from the topDirector-B: 0 to 3 from the bottom
- **B.** Director-A: 1 to 4 from the bottomDirector-B: 1 to 4 from the top
- C. Director-A: 0 to 3 from the bottomDirector-B: 0 to 3 from the top
- **D.** Director-A: 1 to 4 from the topDirector-B:1 to 4 from the bottom

ANSWER: B

QUESTION NO: 10

What is a consideration for using a VPLEX logging volume?

- A. Must be created on each VPLEX cluster before creating a distributed device
- B. Automatically provisioned at each VPLEX cluster when the distributed device is created
- C. A distributed device must be created before a logging volume can be created
- D. VIAS can be used to create a logging volume at each cluster

ANSWER: A