DUMPSBOSS.COM

American Academy of Cosmetic Dentistry

Test Prep AACD

Version Demo

Total Demo Questions: 10

Total Premium Questions: 147

Buy Premium PDF

https://dumpsboss.com

support@dumpsboss.com

QUESTION NO: 1

Which of the following is correct concerning tooth preparation for diastema closure with bonded porcelain restorations?

A. Keep all margins supragingival or equigingival

B. Full crown preparations are best used to close spaces

C. Subgingival interdental margins will allow for improved emergence profiles

D. Mini-wings must always be used to close a black triangle interdentally

ANSWER: C

Explanation:

References:

QUESTION NO: 2

A properly shade matched porcelain veneer will often appear dark immediately after the seat appointment due to which of the following?

A. Opacity of the luting cement

B. Dehydration of the adjacent teeth

C. Fluorescence of the porcelain material

D. Acid etching of the prepared tooth

ANSWER: B

QUESTION NO: 3

Which of the following USUALLY characterizes a patient who has a short adult ramus with normal posterior tooth development?

A. An excess display of mandibular incisors

B. Decreased anterior facial height

C. An anterior open bite

D. Minimum display of maxillary gingiva

ANSWER: C

Explanation:

References:

QUESTION NO: 4

How can fracture toughness be described?

A. A measure of material resistance to rapid crack propagation

B. A quantitative analysis of ceramic wear

C. A poor indicator of a material clinical reliability

D. A recent enhancement by the addition of glass to ceramic materials

ANSWER: A

Explanation:

References:

QUESTION NO: 5

Progressive loading of dental implants is:

A. adjusting the occlusal material to gradually load the bone to implant interface.

B. gradually intensifying the occlusal contacts following Stage I surgery.

C. utilizing acrylic on a transitional implant prosthesis to allow for the addition or removal of acrylic to provide short periods of hyperocclusion.

D. improving the bone density and strength by allowing the implant to remain unloaded during any occlusal contact.

ANSWER: B

QUESTION NO: 6

Which of the following anatomical characteristics regarding the lips is correct?

A. Lip morphology has little to do with bones and teeth

B. Lips plump and drop with aging

C. The philtrum of the lip is an accurate anatomical guide to the center of the face

D. As one ages, the philtrum of the lip becomes more dominant

ANSWER: C

Explanation:

References:

QUESTION NO: 7

What feature of dentin hybridization makes it useful for resin bonding?

A. It occurs above the surface of dentin

B. It adds filled resin to unfilled resin causing a hybrid of the two materials

C. It does not affect the dentinal tubules

D. It is stronger than smear layering bonding

ANSWER: C

QUESTION NO: 8

Which of the following is defined by the outward pressure of the tongue versus the inward pressure of the perioral musculature?

A. Freeway space

B. Neutral zone

C. Buccal corridor

D. Vestibular space

ANSWER: B

QUESTION NO: 9

When photographing the retracted (1:2) view, if the anterior teeth are in focus and the posterior teeth are not in focus, the likely cause is what?

A. Flash is too low

B. F-stop is too high

C. Shutter speed is too slow

D. F-stop is too low

ANSWER: B

QUESTION NO: 10

What minimum distance is needed between an implant and the root of a tooth in order to keep the tooth's bony attachment intact and prevent horizontal bone loss?

A. mm

B. mm

C. mm

D. mm

ANSWER: B

DUMPSBOSS.COM