

DUMPSBOSS.COM

SAP Certified Development Associate - SAP HANA 2.0 SPS04

SAP C HANADEV 16

Version Demo

Total Demo Questions: 10

Total Premium Questions: 92

Buy Premium PDF

<https://dumpsboss.com>

support@dumpsboss.com

dumpsboss.com

QUESTION NO: 1

Which of the following are characteristics of an SAP HANA Deployment Infrastructure container? Note: There are 3 correct answers to this question.

- A. It is the same as a tenant database.
- B. It is logically similar to an SAP HANA schema.
- C. It contains table and view objects.
- D. It performs version management of runtime artifacts.
- E. It is created by a container-specific technical user.

ANSWER: B C E**QUESTION NO: 2**

What characterizes the Node.js environment? Note: There are 2 correct answers to this question.

- A. It uses a synchronous programming model.
- B. It is a client-side design-time environment for JavaScript.
- C. It is built on Google's V8 JavaScript engine.
- D. It is single-threaded.

ANSWER: C D**QUESTION NO: 3**

You need to access a remote database table object within your HDB module in an MTA project. In SAP HANA

extended application services, advanced model (XS advanced) a user-provided service was created to access the external schema. The service is already declared in the MTA project YAML file.

Which activities do you perform?

Note: There are 3 correct answers to this question.

- A. Create/Update the .hdbgrants file providing authorizations for the remote schema.

- B. Create a synonym for the remote table object.
- C. Create a synonym that refers to the view.
- D. Create a view that refers to the table.
- E. Create a view that refers to the synonym.

ANSWER: A B E

QUESTION NO: 4

You need to restrict the selected columns exposed to the client. Which OData capability do you use?

- A. Parameter entity sets
- B. Key specification
- C. Aggregation
- D. Property projection

ANSWER: D

QUESTION NO: 5

Where do you add controls to the user interface?

- A. JSON model
- B. OData model
- C. XML view
- D. Manifest file

ANSWER: C

QUESTION NO: 6

You must debug an existing SQLScript procedure in SAP HANA extended application services, advanced model (XS advanced).

What is the valid sequence to debug the procedure?

- A.** 1 Select the SQLScript procedure in the project explorer, p. 2 Open the SQLScript console.
3 Set the breakpoint in the code of your SQL procedure. 4 Generate the call to the SQL procedure and execute it.
- B.** 1 Select the SQLScript procedure in the database explorer, p. 2 Set the debugger privilege.
3 Set the external breakpoint in the code of your SQL procedure.
4 Run the ABAP program where the SQL procedure is called in debugging mode.
- C.** 1 Select the ABAP program where the SQLScript procedure is called in the project explorer. p. 2 Set the external debugger privilege.
3 Set the external breakpoint in the code of your ABAP program. 4 Run the ABAP program in debugging mode.
- D.** 1 Select the SQLScript procedure in the database explorer. / pv 2 Specify the SQLScript debugger settings in the SQL Debugger.
3 Set the breakpoint in the code of your stored procedure. 4 Generate the call to the SQL procedure and execute it.

ANSWER: D

QUESTION NO: 7

You develop a Node.js application for the SAP HANA platform that executes a SQL statement in the SAP HANA database.

Which modules do you use?

Note: There are 2 correct answers to this question.

- A.** @sap/xsenv
- B.** @sap/hdbext
- C.** @sap/node-vsi
- D.** @sap/instance-manager

ANSWER: A B

QUESTION NO: 8

>> Textbox end

Which tool do you use to create a calculation view in a multi-target application?

- A. SAP HANA database explorer
- B. SAP HANA studio
- C. SAP HANA Web-based Delopment Workbench
- D. SAP web IDE for SAP HANA

ANSWER: D

QUESTION NO: 9

Which content can you include in a Node.js module of the multi-target application? Note: There are 3 correct answers to this question.

- A. Data services in Java
- B. Node apps
- C. XSJS apps
- D. Java apps
- E. OData services in JavaScript

ANSWER: B C E

QUESTION NO: 10

How do you debug a Node.js module in SAP Web IDE for SAP HANA?

- A. Start the debugger from the XS Command Line interface and run the program in SAP Web IDE for SAP U HANA
- B. Set the enabled parameter to true in the section debugger of the xsengine.ini file
- C. Attach the debugger to the application in the SAP Web IDE for SAP HANA
- D. Add the sap.hana.xs.debugger: :Debugger plugin to the SAP Web IDE for SAP HANA

ANSWER: C