



Junos - Associate (JNCIA-Junos)

Juniper JN0-103

Version Demo

Total Demo Questions: 10

Total Premium Questions: 98

Buy Premium PDF

<https://dumpsboss.com>

support@dumpsboss.com

dumpsboss.com

QUESTION NO: 1

Which two statements describe PFE functions? (Choose two.)

- A. The PFE stores a local copy of the Layer 2 and Layer 3 forwarding tables.
- B. The PFE provides access to the CLI and J-Web.
- C. The PFE stores the master copy of the Layer 2 and Layer 3 forwarding tables.
- D. The PFE implements rate limiting using policers.

ANSWER: A D

QUESTION NO: 2

Which parameter would you use to prohibit the redistribution of a static route used for management traffic?

- A. discard
- B. passive
- C. reject
- D. no-readvertise

ANSWER: D

QUESTION NO: 3

What are two default password requirements on devices running Junos OS? (Choose two.)

- A. Passwords must contain at least one special character.
- B. Alphanumeric character classes must be used.
- C. An expiration date must be set.
- D. Passwords must be at least six characters in length.

ANSWER: B D

QUESTION NO: 4

What does the output of the show route forwarding-table command display?

- A. the Packet Forwarding Engine's routing table
- B. the inactive entries in the Routing Engine's routing table
- C. the routing protocol databases in the Routing Engine
- D. the Routing Engine's forwarding table

ANSWER: D

QUESTION NO: 5

What is an "X" release of the Junos OS?

- A. a standard feature release
- B. a feature velocity release
- C. a special feature release
- D. a feature beta release

ANSWER: C

QUESTION NO: 6

What are three functions of the RE? (Choose three.)

- A. to monitor the chassis
- B. to maintain the forwarding tables
- C. to implement policing
- D. to enforce stateless firewall filters
- E. to manage the PFE

ANSWER: A B E

QUESTION NO: 7

What are two configurable physical interface properties? (Choose two.)

- A. protocol family
- B. address
- C. MTU
- D. link mode

ANSWER: C D

QUESTION NO: 8

Which two features are implemented on the Packet Forwarding Engine? (Choose two.)

- A. firewall filters
- B. chassis management
- C. class of service
- D. routing protocol updates

ANSWER: A C

QUESTION NO: 9

In your configuration, an interface contains multiple IP addresses belonging to the same subnet. You want to identify the IP address to use for packets sent to hosts on the same subnet.

Which parameter would you use to accomplish this task?

- A. patch
- B. primary
- C. preferred
- D. relative

ANSWER: C

QUESTION NO: 10

```
[edit firewall family inet]
user@router# show
filter input-filter {
  term count-packets {
    from {
      source-address {
        10.10.10.0/24;
      }
    }
    then count building-1;
  }
  term reject-others {
    then {
      reject;
    }
  }
}
```

Referring to the exhibit, which statement is correct when traffic is received from 10.10.10.4?

- A. The traffic is counted and rejected.
- B. The traffic is only accepted.
- C. The traffic is counted and accepted.
- D. The traffic is only rejected.

ANSWER: A