Conducting Forensic Analysis and Incident Response Using Cisco CyberOps Technologies (CBRFIR)

Cisco 300-215

Version Demo

Total Demo Questions: 10

Total Premium Questions: 61

Buy Premium PDF

https://dumpsboss.com support@dumpsboss.com

dumpsboss.com

QUESTION NO: 1

• service	0	10 Mar 12.			June 3, 2020 at 5:33 PM
Credit Card Re	efund #186913				
To: [removed]					
Received from	([202 142 155 218]) by (removed) for [removed]; Wed, 03	Jub 2020 15:33:0	3 +0000 (UTC)	
	d, 3 Jun 2020 20:33	lo=WEEOWED.lu) by with esmtpa (E 05 +0500	xim 4.85) (envelop	e-from) id 08A56E15	8516 for
with ESMTPA i	id	count cobblergs8@o4.e.notification.i d); Wed, 3 Jun 2020 20:33:05 +0500	ntuit.com HELO RU	JFINEF.GYPUBOT.m	cg) by (Postfix)
Content-Type:	multipart/mixed; bour	ndary= "Part_6483125_09335162	9435849616646"		
		Cash Refund Date Refund # Payment Method Check # Project Department Phone Number Shipping Method Credit Card # Transaction Next App	30006 UPS 2	3 te Payment 79700 nd Day Air®	
tem C 8795326-44	tuantity Description 1 2020 Shipp	1,397.11 Subtotal sing Cost (UPS 2 nd Day Air®)	Amount 1,397.11 1,397.11 0.00	Gross Amt 1,397.11	Tax Amount Tax Details Referenc 97810761_1
CREDIT	WILL BE ISSUED T	Total O YOUR CREDIT CARD USED FOR	\$1,397.11 ORIGINAL PURCI	HASE*****	
Card_Refund_1 6913.xism	8		- 674	1. 20. X	

Refer to the exhibit. Which element in this email is an indicator of attack?

A. IP Address: 202.142.155.218

- B. content-Type: multipart/mixed
- C. attachment: "Card-Refund"
- D. subject: "Service Credit Card"

DUMPSDOSS.COM

ANSWER: C

QUESTION NO: 2

Metadata	. "to "to "to "to "to "to "to				
Drive type	Fixed (Hard disk)				
Drive serial number	1CBDB2C4				
Full path	C:\Windows\System32\WIndowsPowerShellv1.0\powershell.exe				
NetBIOS name	user-pc				
Lnk file name	ds7002.pdf				
Relative path					
Arguments	-noni –ep bypass \$zk = 'JHB0Z3Q9MHgwMDA1ZTJiZTskdmNxPTB4MDAwNjlzYjY7.				
Target file size (bytes)	452608				
Droid volume	c59b0b22-7202-4410-b323-894349c1d75b				
Birth droid volume	c59b0b22-7202-4410-b323-894349c1d75b				
Droid file	bf069f66-8be6-11e6-b3d9-0800279224e5				
Birth droid file	bf069f66-8be6-11e6-b3d9-0800279224e5				
File attribute	The file or directory is an archive file				
Target file access time (UTC)	13.07 2009 23:32:37				
Target file creation time (UTC)	13.07.2009 23:32:37				
Target file modification time (UTC)	14.07.2009 1:14:24				
Header flags	HasTargetIdList, HasLinkInfo, HasName, HasRelativePath, HasArgumen HasIcc				
MAC vendor	Cadmus Computer Systems				
Target path	My Computer\C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe				
Target MFT entry number	0x7E21				

Refer to the exhibit. An engineer is analyzing a .LNK (shortcut) file recently received as an email attachment and blocked by email security as suspicious. What is the next step an engineer should take?

A. Delete the suspicious email with the attachment as the file is a shortcut extension and does not represent any threat.

B. Upload the file to a virus checking engine to compare with well-known viruses as the file is a virus disguised as a legitimate extension.

C. Quarantine the file within the endpoint antivirus solution as the file is a ransomware which will encrypt the documents of a victim.

D. Open the file in a sandbox environment for further behavioral analysis as the file contains a malicious script that runs on execution.

ANSWER: D

QUESTION NO: 3

A security team received an alert of suspicious activity on a user's Internet browser. The user's anti-virus software indicated that the file attempted to create a fake recycle bin folder and connect to an external IP address. Which two actions should be taken by the security analyst with the executable file for further analysis? (Choose two.)

- A. Evaluate the process activity in Cisco Umbrella.
- B. Analyze the TCP/IP Streams in Cisco Secure Malware Analytics (Threat Grid).
- C. Evaluate the behavioral indicators in Cisco Secure Malware Analytics (Threat Grid).
- D. Analyze the Magic File type in Cisco Umbrella.
- E. Network Exit Localization in Cisco Secure Malware Analytics (Threat Grid).

ANSWER: B C

QUESTION NO: 4

An incident response team is recommending changes after analyzing a recent compromise in which:

a large number of events and logs were involved;

team members were not able to identify the anomalous behavior and escalate it in a timely manner; several network systems were affected as a result of the latency in detection;

security engineers were able to mitigate the threat and bring systems back to a stable state; and the issue reoccurred shortly after and systems became unstable again because the correct information was not gathered during the initial identification phase.

Which two recommendations should be made for improving the incident response process? (Choose two.)

A. Formalize reporting requirements and responsibilities to update management and internal stakeholders throughout the incident-handling process effectively.

B. Improve the mitigation phase to ensure causes can be quickly identified, and systems returned to a functioning state.

C. Implement an automated operation to pull systems events/logs and bring them into an organizational context.

D. Allocate additional resources for the containment phase to stabilize systems in a timely manner and reduce an attack's breadth.

E. Modify the incident handling playbook and checklist to ensure alignment and agreement on roles, responsibilities, and steps before an incident occurs.

ANSWER: C E

QUESTION NO: 5

Which scripts will search a log file for the IP address of 192.168.100.100 and create an output file named parsed_host.log while printing results to the console?

A. import os import re line_regex = re.compile(r".*fwd=\"192.168.100.100\". *\$") output_filename = os.path.normpath("output/parsed_host.log") with open(output_filename, "w") as out_file: out_file.write("") with open(output_filename, "a") as out_file: with open(output_filename, "a") as out_file: if (line_regex.search(line)): print line out_file.write(line)

```
Β.
   import os
    import re
    line_regex = re.compile(r".*fwd=\"192.168.100.100\". *$")
    output filename = os.path.normpath( "output/parsed hosts.log")
    with open(output_filename, "w") as out_file:
           out file.write("")
    with open(output filename, "a") as out file:
           with open( "test_log.log", "r") as in file
             for line in in file:
               if (line_regex.search(line))
                 print line
                 out file.write(line)
C. import os
   import re
   line regex = re.compile(r".*fwd=\"192.168.100.10\". *$")
   output filename = os.path.normpath( "output/parsed host.log")
   with open(output filename, "w") as out file:
           out file.write("")
    with open(output filename, "a") as out file:
           with open( "parsed_host.log", "r") as in_file'
             for line in in file:
               if (line_regex.search(line)):
                print line
                out file.write(line)
```

D. import os

import re line_regex = re.compile(r".*fwd=\"192.168.100.100\". *\$") output_filename = os.path.normpath("output/parsed_host.log") with open(output_filename, "w") as out_file: out_file.write("") with open(output_filename, "a") as out_file: with open(output_filename, "a") as out_file: with open("test_log.log", "r") as in_file" for line in in_file: if (line_regex.search(line)): print line out_file.write(line)

- A. Option A
- B. Option B
- C. Option C
- D. Option D

ANSWER: A

QUESTION NO: 6

00386078	64	44	45	33	4C	бA	41	34	4C	6A	4D	78	4C	6B	5A	44
00386088	4D	44	59	78	4E	79	34	31	4E	54	41	32	4C	6A	55	31
00386098	4D	44	59	75	4E	6A	67	7A	4E	77	3D	3D	00	AB	AB	AB

Refer to the exhibit. Which encoding technique is represented by this HEX string?

- A. Unicode
- B. Binary
- **C.** Base64
- D. Charcode

ANSWER: B

Explanation:


Reference: https://www.suse.com/c/making-sense-hexdump/

QUESTION NO: 7 - (DRAG DROP)


DRAG DROP

Drag and drop the capabilities on the left onto the Cisco security solutions on the right.

Select and Place:



ANSWER:



Explanation:

QUESTION NO: 8

GET /wp-content/rm1q_q6x4_15/ HTTP/1.1
Host iraniansk.com
Connection: Keep-Alive
HTTP/1 1 200 OK
Server: nginx
Date: Mon, 10 Aug 2020 20:16 17 GMT
Content-Type application/octet-stream
Transfer-Encoding: chunked
Connection: keep-alive
Cache-Control no cache, must revalidate Pragma, no cache
Expires. Mon. 10 Aug 2020 20:16 17 GMT
Content-Disposition attachment filename= "Fy exe"
Content-Transfer-Encoding: binary
Set-Cookie: 5/31ab113af08=1597090577; expires=Mon, 10-Aug-2020 20:17 17 GMT; Max-Age=60; path=/
Last Modified, Mon, 10 Aug 2020 20:16:17 GMT
Vary Accept-Encoding User-Agent
6000
MZ. @
\$ N3 JM JF 10 Rich
PEL fi 1 J
0 @ < L @ text s t
rdata x @ @ data0. \$ rsrc
8.
Vi 6 B A J
QRISIY V DSTVY* VNt ^Bjr8% jx e x F
L. M. X. Solar Market
3 Vjjd AB B A A B B V B DS tV0 Y ^ U u u u u C E 1U u u u u E
] \$ u 15 U u u 4B u IVP 88 1(u u @ B M v si 1/U r.3.
#,*]DS @_jP1\$_0B_u_1\$T1\$_z0d0\$_SY_DS_T\$.k@_Tsu_DS_DS_Ts.ki @@_T\$uD\$_VW_@_x_50C_v0UYP_YY;D\$1.6u3_^FU_Sp <c3e_sww< td=""></c3e_sww<>
3
A D
13 t uyN Fu S @=e ~y + M U@yH
@UyJBUyIA_
U2 GMu _^3] U SC.e.e. u3 = SC.tMVM.M0j.MQ @VE
E FEPEPEV SC ELM EAX DSV ID(1,H + A ID(1,M + A \$ VLOA r 9TSr r I LSV 2A UM W301 Y
\$ VI-q A r 915 r I LSV 2^ U.M w3Q Y 3 s.e. EPM hBEPE B < V1sk B^ 15.15.15.15.qL8.15 q.8 i.g. 8 j.g.
8 DS ISP F C LS @ OP B DS B B hw 3PP IS IS IS IS P B
1 client pkt, 231 server pkts, 1 turn
Entire conversation (290kB) 🛟 Show and save data as ASCII 🛟 Stream 2 🗘

Refer to the exhibit. According to the Wireshark output, what are two indicators of compromise for detecting an Emotet malware download? (Choose two.)

- A. Domain name:iraniansk.com
- B. Server: nginx
- C. Hash value: 5f31ab113af08=1597090577



- D. filename= "Fy.exe"
- E. Content-Type: application/octet-stream

ANSWER: C E

QUESTION NO: 9

A network host is infected with malware by an attacker who uses the host to make calls for files and shuttle traffic to bots. This attack went undetected and resulted in a significant loss. The organization wants to ensure this does not happen in the future and needs a security solution that will generate alerts when command and control communication from an infected device is detected. Which network security solution should be recommended?

- A. Cisco Secure Firewall ASA
- B. Cisco Secure Firewall Threat Defense (Firepower)
- C. Cisco Secure Email Gateway (ESA)
- D. Cisco Secure Web Appliance (WSA)

ANSWER: B

QUESTION NO: 10

A security team detected an above-average amount of inbound tcp/135 connection attempts from unidentified senders. The security team is responding based on their incident response playbook. Which two elements are part of the eradication phase for this incident? (Choose two.)

- A. anti-malware software
- B. data and workload isolation
- C. centralized user management
- D. intrusion prevention system
- E. enterprise block listing solution

ANSWER: C D