

# DUMPSBOSS.COM

## Pharmacy Technician Certification Board

Test Prep PTCB

Version Demo

Total Demo Questions: 15

Total Premium Questions: 431

Buy Premium PDF

<https://dumpsboss.com>

[support@dumpsboss.com](mailto:support@dumpsboss.com)

dumpsboss.com

## Topic Break Down

Topic	No. of Questions
Topic 1, Section 1	104
Topic 2, Section 2	89
Topic 3, Section 3	190
Topic 4, Section 4	48
Total	431



**QUESTION NO: 1**

Which medication is exempt from the PPPA locking cap requirements?

- A. Nitroglycerine
- B. Paroxetine
- C. Clonidine
- D. Tolterodine

**ANSWER: A**

**QUESTION NO: 2 - (FILL BLANK)**

Tobrex® ophthalmic ung refers to what?

**ANSWER: An Ointment used for the eye**

**Explanation:**

An Ointment used for the eye

**QUESTION NO: 3**

When a community pharmacy orders stock from a new wholesaler, which drugs must be ordered using a DEA form 222?

- A. Sch. II only
- B. Sch. II and Sch III only
- C. Sch. II, Sch. III and Sch. IV only
- D. ALL Controlled Substances

**ANSWER: A**

**QUESTION NO: 4**

A patient suffering severe pain is prescribed Vicodin which contains 10mg of Hydrocodone and 660mg of APAP. The Script reads: Vicodin HP

1 TAB QID PRN X10D

How many Grams of Hydrocodone will then be in this order?

- A. .004
- B. .040
- C. .400
- D. 4.00

**ANSWER: C**

**QUESTION NO: 5 - (FILL BLANK)**

The laminar flow hood should be left operating continuously. If it is turned off, it should not be used until it has been running for at least how long?

**ANSWER: Thirty Minutes**

**Explanation:**

Thirty Minutes

**QUESTION NO: 6 - (FILL BLANK)**

All aseptic manipulations in the laminar flow hood should be performed at least how many inches from within the hood?

**ANSWER: 6 inches within the hood**

**Explanation:**

6 inches within the hood

**QUESTION NO: 7 - (FILL BLANK)**

FILL BLANK If a medication is to be taken a.c., it should be taken when?

**ANSWER: before meals**

**Explanation:**

before meals.

**QUESTION NO: 8**

An 8 year old boy weighs 34 Kilograms. The adult dosage of his prescribed medication is 400 mg. Using Clarks rule, what would the dosage for the boy be?

- A. 160mg
- B. 200mg
- C. 240mg
- D. 300mg

**ANSWER: B****QUESTION NO: 9**

Which of the following would be a violation of OBRA?

- A. Releasing a patients records to unauthorized parties
- B. Not offering a medicaid patient counseling on a new drug prescribed
- C. Accidentally allowing a refill on a DEA Sch. II drug
- D. Filling a prescription for a medicaid patient with expired stock

**ANSWER: B****QUESTION NO: 10**

1 Lbs is equal to:

- A. 12 Oz
- B. 2.2 Kg
- C. 454 G
- D. 1200 MI

**ANSWER: C****QUESTION NO: 11**

How many grams of fluorouracil will 153 lb patient receive in 5 successive days at a dosage of 12mg/kg/day?

- A. 0.42
- B. 0.84
- C. 4.2
- D. 8.4

**ANSWER: C**

**Explanation:**

153 pounds / 2.2 = 7070 X 12mg = 840 (5 days)4200mg / 1000 = 4.2 GRAMS

#### QUESTION NO: 12

Which drug is not DEA controlled?

- A. Phentermine
- B. Prozac
- C. Lunesta
- D. Valium

**ANSWER: B**

#### QUESTION NO: 13 - (FILL BLANK)

Zantac, Tagamet and Pepcid are H2 blockers which are now available over-the-counter (OTC). What are these drugs used for?

**ANSWER: Used to inhibit stomach acid secretion**

**Explanation:**

Used to inhibit stomach acid secretion

#### QUESTION NO: 14

Which drug would be used for athletes foot:

- A. Ranitidine

- B.** Fluconazole
- C.** Tamsulosin
- D.** Sildenafil

**ANSWER: B**

**QUESTION NO: 15**

A script is faxed over from Dr. Peruse which contains the sig: 1ml Neomycin Sulphate 0.5% 1-2gtt OU QID

Which of the following conditions is this order most likely to treat?

- A.** Urinary Tract Infection
- B.** Labyrinthitis (inner ear infection)
- C.** Conjunctivitis (pink eye)
- D.** Allergic Rhinitis

**ANSWER: C**