# Palo Alto Networks Certified Security Automation Engineer

Palo Alto Networks PCSAE

**Version Demo** 

**Total Demo Questions: 10** 

**Total Premium Questions: 165** 

**Buy Premium PDF** 

https://dumpsboss.com support@dumpsboss.com

dumpsboss.com

#### **QUESTION NO: 1**

Which two methods are used to add new content to the XSOAR Content Repository? (Choose two.)

- A. Create content and add it to the standard content by contributing through the Marketplace
- B. Use the XSOAR GitHub Contribution Guide to add the contribution to the standard content
- C. Create a support ticket with the custom content for review by the support team
- D. Any custom content will be automatically uploaded to the content repository

#### ANSWER: A D

#### **QUESTION NO: 2**

Which configuration is a valid distributed database (DB) implementation?

- A. 2 main DBs, 1 application server, 2 node servers
- B. 1 main DB, 1 application server, 3 node servers
- C. 2 application servers, 1 main DB, 1 node server
- D. 1 application server, 2 main DBs, 1 node server

#### ANSWER: C

#### **QUESTION NO: 3**

What is the default landing page for a new user in XSOAR?

- A. Dashboards
- B. Threat Intel
- C. Settings
- D. Marketplace

#### ANSWER: A


#### **QUESTION NO: 4 - (DRAG DROP)**

#### DRAG DROP

Match the corresponding action with the appropriate playbook tasks.

#### Select and Place:


#### **Answer Area**



#### ANSWER:

#### **Answer Area**

Standard Task	Executes the IPReputation Command	EIIC
Conditional Task	Checks if an integration exists	e
Section Header Task	Acts as a label for organizing playbook structure	Si ac re
Data Collection Task	Sends a survey to the access team for reviewing a specific user	0. °4



#### **Explanation:**

Reference:

https://docs.paloaltonetworks.com/cortex/cortex-xsoar/5-5/cortex-xsoar-admin/playbooks/playbooks-overview.html

#### **QUESTION NO: 5**

What is the default task type when creating an empty task?

- A. Standard (Manual)
- B. Conditional
- C. Section header
- D. Standard (Automated)

#### ANSWER: B

#### **Explanation:**

Reference: https://docs.paloaltonetworks.com/cortex/cortex-xsoar/5-5/cortex-xsoar-admin/playbooks/playbook-task

#### **QUESTION NO: 6**

What are two common use cases for conditional tasks? (Choose two.)

- A. They are used for branching paths in a playbook
- B. They are used to interact with users through survey functionality
- C. They are used to determine which incident will be executed
- D. They are used for sending a specific question to a person or team

#### ANSWER: A C

#### **Explanation:**

Reference: https://docs-new.paloaltonetworks.com/cortex/cortex-xsoar/5-5/cortex-xsoar-admin/cortex-xsoar-overview/use-cases.html#id7b31e50b-5aca-4d65-bdb5-ba61b4eac0b4

#### **QUESTION NO: 7**

Where can engineers add the post-processing scripts to incidents?

- A. The post-processing tag must be added to the automation
- B. Post-processing scripts must be added at the end of playbooks
- C. Post-processing scripts must be added from the Incident Type editor
- D. Post-processing scripts must be added from the Post-Process Rules editor

#### ANSWER: C

#### **QUESTION NO: 8**

An XSOAR Engineer has developed a playbook and would like to contribute it to the XSOAR Marketplace to share with other users.

Which two options are available to the Engineer for contributing to the Marketplace? (Choose two.)

- A. Open a ticket with the XSOAR support team
- B. Create a pull request directly on Github
- C. Contribute through the XSOAR UI
- D. Send an email to contributions@xsoar.com

#### ANSWER: B C

#### **QUESTION NO: 9**

An engineer would like to add a custom field to the New Job form for a job triggered from a threat intel feed.

How would the engineer implement this?

- A. The new job form changes based on the threat intel feed integration configuration
- B. The new job form can be edited from the Indicator Feed incident type editor
- C. The new job form for a threat intel feed job cannot be edited
- D. The new job form can be edited from the threat intel feeds integration settings

#### ANSWER: B

#### **Explanation:**

Reference: https://docs.paloaltonetworks.com/cortex/cortex-xsoar/6-0/cortex-xsoar-threat-intel-management-guide/manage-indicators/understand-indicators/create-a-feed-based-job.html

#### **QUESTION NO: 10**

Which two options are the most effective for moving content between two environments? (Choose two.)

- A. Remote repository based content sharing
- B. UI based content import/export button

C. Copy the content backup from one environment file system (/var/lib/demisto/backup/content-backup-\*) and move it to the other environment

D. Download the content items separately and upload them to the other environment

## ANSWER: A C

#### **Explanation:**

Reference: https://docs.paloaltonetworks.com/cortex/cortex-xsoar/6-0/cortex-xsoar-admin/manage-data/migrate-data-to-another-server-for-multi-tenant.html