

DUMPSBOSS.COM

Specialist : Systems Administrator - PowerProtect DD Exam

EMC DES-DD33

Version Demo

Total Demo Questions: 7

Total Premium Questions: 54

Buy Premium PDF

<https://dumpsboss.com>

support@dumpsboss.com

dumpsboss.com

QUESTION NO: 1

Which protocol is used with Dell EMC Cloud Tier to transfer data between a PowerProtect DD appliance and the cloud?

- A. FTP
- B. SFTP
- C. HTTPS
- D. NFS

ANSWER: D**Explanation:**

A DD series appliance at a Faction data center can be used as single backup target to protect workloads across multiple clouds. Using DD Boost, CIFS, and NFS protocols.

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/industry-market/h18759-multi-cloud-data-services-for-dell-emc-powerprotect.pdf>

QUESTION NO: 2

A PowerProtect DD system is configured for VTL. The backup application requires a minimum tape capacity of 800 GiB.

What is the minimum tape type to support this requirement?

- A. LTO-3
- B. LTO-2
- C. LTO-5
- D. LTO-4

ANSWER: D**Explanation:**

Reference: <https://www.ibm.com/docs/en/ts4500-tape-library?topic=cartridges-capacity-supported-lto-tape>

QUESTION NO: 3

When using the DD VTL Tape Out to Cloud feature, which status will a tape show once it is in the cloud tier vault?

- A. Vaulted

- B. Archived
- C. Offline
- D. Offsite

ANSWER: B

QUESTION NO: 4 - (DRAG DROP)

DRAG DROP

What is the correct sequence of steps to configure storage for Dell EMC Cloud Tier in the DD System Manager?

Select and Place:

Click "Configure" in the Cloud Tier section	STEP 1
Click "Add to Tier"	STEP 2
Select "Storage" under the Hardware tab	STEP 3
Under "Addable Storage", select the checkbox for the shelf to add	STEP 4

ANSWER:

	Click "Configure" in the Cloud Tier section
	Click "Add to Tier"
	Select "Storage" under the Hardware tab
	Under "Addable Storage", select the checkbox for the shelf to add

Explanation:

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/docu95865.pdf>

QUESTION NO: 5

What are some possible network bottlenecks for a PowerProtect DD?

- A. Configuration, wire speeds, switches and routers
- B. Connectivity, firewalls, and routing protocols
- C. Connectivity, routing protocols, and configuration
- D. Routing protocols, switches and routers, and wire speeds

ANSWER: A

QUESTION NO: 6

When should using Virtual Synthetic backups be considered?

- A. Daily incremental backups are larger than 15% of a normal full backup
- B. PowerProtect DD appliance has more than 10 disks
- C. Backups are nonfile system data such as databases
- D. Backups are large and localized

ANSWER: A

QUESTION NO: 7

A backup administrator needs to implement BoostFS for Windows.

What do they need to install on the Windows server? (Choose all that apply.)

- A. CBFS
- B. CIFS
- C. NFS
- D. FUSE

ANSWER: B C

Explanation:

For CIFS/NFS/DD BoostFS, the first consideration to address is what level of CIFS, NFS and DD BoostFS sharing is wanted for the DD series appliances.

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/s-2416-dell-emc-powerprotect-dd-series-appliances-with-commvault-configuration-guide.pdf>