DUMPSBOSS.COM

IBM Integration Bus v10.0 Solution Development

IBM C9530-001

Version Demo

Total Demo Questions: 7

Total Premium Questions: 122

Buy Premium PDF

https://dumpsboss.com

support@dumpsboss.com

QUESTION NO: 1

Application data that comes from a C or COBOL application, or consists of fixed-format binary dat a should belong to which message domain?

A. MIME domain

B. DFDL domain

C. SOAP domain

D. DataObject domain

ANSWER: B

QUESTION NO: 2

How is a secured and trusted communication link between IBM Integration Bus (IIB) and Business Process Manager (BPM) built.

A. Enable WS-Security on both BPM and IIB.

B. Programmatically encrypt the outgoing messages

C. Add a certificate to the truststore to set up the SSL communication between BPM and IIB.

D. There is no need to build a security link because BPM and IIB should always be deployed on the same network behind the firewall.

ANSWER: C

QUESTION NO: 3

Which of the following are available in IBM Integration Bus for administration? (Choose two.)

A. IBM Integration API

B. MQ Administration Client

C. IBM Integration Bus Explorer

D. Web Services Administration Client

E. IBM Integration Web User Interface

ANSWER: A E

QUESTION NO: 4

What are two options for creating an MQEndpoint policy? (Select 2.)

A. Use the BAR file editor.

B. Use Integration Bus Explorer.

C. Use the mqsicreatepolicy command.

D. Use the mqsiattachpolicy command.

E. Use the Integration Bus web user interface.

ANSWER: C E

Explanation:

You can use the following tools to create, attach, and manage MQEndpoint policies: ▪ Command line

To create a policy, use the mqsicreatepolicy command. For more information, see Creating and importing policies. ▪ Web user interface (UI)

▪ IBM Integration Toolkit

▪ Representational State Transfer (REST) application programming interface (API)

References: https://www.ibm.com/support/knowledgecenter/en/SSMKHH_10.0.0/com.ibm.etools.mft.doc/bi62102_.htm

QUESTION NO: 5

Which tool allows a configurable service to be imported and exported between systems?

A. Broker Explorer

B. Web User interface

C. IBM Integration Toolkit

D. IBM Integration Explorer

ANSWER: D

Explanation:

Use the IBM Integration Explorer to export a configurable service to use on another integration node (broker).

References: https://www.ibm.com/support/knowledgecenter/en/SSMKHH_9.0.0/com.ibm.etools.mft.doc/be10390_.htm

QUESTION NO: 6

A developer has multiple applications that require different versions of specific resources. How should the different versions of the common resources be stored to allow for this?

A. Add all common resources to an subflow.

B. Add all common resources to a static library.

C. Add all common resources to a shared library.

D. Add all common resources to an application project.

ANSWER: B

Explanation:

Consider using libraries to use different versions of a coherent set of routines and definitions.

If you want each application to use a different version of the contained resource, use a static library. Each application that references that static library is deployed with its own private copy of that library. If a static library is updated, each application that references it must be repackaged and redeployed with the updated static library.

Incorrect Answers:

C: If you want to deploy and manage just one copy of those common resources, use a shared library.

References: https://www.ibm.com/support/knowledgecenter/en/SSMKHH_10.0.0/com.ibm.etools.mft.doc/bc23066_.htm

QUESTION NO: 7

How can the Eclipse error logs in the Toolkit be viewed?

A. Error Log view in the Toolkit

B. Problems view in the Toolkit

C. Select Integration flow>error log

D. Right-click Application container in Toolkit > Error logs

ANSWER: A