



IBM Cloud Pak for Data Systems V1.x Administrator Specialty

IBM S1000-002

Version Demo

Total Demo Questions: 5

Total Premium Questions: 40

Buy Premium PDF

<https://dumpsboss.com>

support@dumpsboss.com

dumpsboss.com

QUESTION NO: 1

Which command is used on Cloud Pak for Data System to reset a password policy to the system initial values?

- A. ap config reset-pwpolicy
- B. ap setup reset-pwpolicy
- C. ap_external_ldap reset-pwpolicy
- D. apusermgmt reset-pwpolicy

ANSWER: D**Explanation:**

Reference: <https://www.ibm.com/docs/en/cloud-paks/cloudpak-data-system/1.0?topic=console-resetting-web-user-password>

QUESTION NO: 2

In the System_Name.yml file, which node specific item must be set in each node stanza?

- A. IP address
- B. subnet mask
- C. gateway
- D. Vlan

ANSWER: A C**QUESTION NO: 3**

Which node role is a candidate for the Platform Manager hub?

- A. universal
- B. worker
- C. control
- D. labeled

ANSWER: C**Explanation:**

Reference: <https://www.ibm.com/docs/en/cloud-paks/cloudpak-data-system/1.0?topic=started-system-overview>

QUESTION NO: 4

Which two LDAP directory implementations are supported on IBM Cloud Pak for Data System? (Choose two.)

- A. Windows AD
- B. OpenLDAP
- C. IBM Security Directory Server
- D. ApacheDS
- E. OpenDS

ANSWER: A B**Explanation:**

Reference: <https://www.ibm.com/docs/en/cloud-paks/cloudpak-data-system/1.0?topic=ua-integrating-cloud-pak-data-system-external-directory-servers>

QUESTION NO: 5

Which command is used to determine the log file associated with a particular issue in Cloud Pak for Data System?

- A. Run the journalctl command.
- B. Run the ap issues command.
- C. Run the apdiag command.
- D. Run the oc inspect command.

ANSWER: D**Explanation:**

Reference: https://www.ibm.com/support/producthub/icpdata/docs/content/SSQNUZ_latest/wsj/getting-started/known-issues-local.html