

DUMPSBOSS.COM

LPIC-2 Exam 201

LPI 201-450

Version Demo

Total Demo Questions: 10

Total Premium Questions: 161

Buy Premium PDF

<https://dumpsboss.com>

support@dumpsboss.com

dumpsboss.com

Topic Break Down

Topic	No. of Questions
Topic 1, Capacity Planning	15
Topic 2, Linux Kernel	18
Topic 3, System Startup	18
Topic 4, Filesystem and Devices	18
Topic 5, Advanced Storage Device Administration	25
Topic 6, Networking Configuration	22
Topic 7, System Maintenance	12
Topic 8, Mix Questions Main Set	33
Total	161

QUESTION NO: 1

Which of the following commands erases the contents of the /dev/sdb3 partition?

- A. rm /dev/sdb3
- B. dd if=/dev/zero of=/dev/sdb3
- C. dd of=/dev/zero if=/dev/sdb3
- D. umount /dev/sdb3

ANSWER: B**QUESTION NO: 2**

What is the purpose of the command udevadm monitor?

- A. It listens to kernel events produced by a udev rule and print information to the console.
- B. It monitors the /dev directory for new devices.
- C. It monitors the udev process and prints performance statistics to the console.
- D. It communicates with D-Bus to setup new devices.

ANSWER: A**QUESTION NO: 3**

What happens if the Linux kernel can't mount the root filesystem when booting?

- A. An error message is shown and the administrator is asked by the kernel to specify a valid root filesystem to continue the boot process.
- B. An error message is shown and the system reboots after a keypress.
- C. An error message is shown and the system boots in maintenance mode.
- D. An error message is shown showing which device couldn't be mounted or informing that init couldn't be found.
- E. An error message is shown stating that the corresponding kernel module couldn't be loaded.

ANSWER: D

QUESTION NO: 4

In the output of `sar -b`, what does `tps` stand for?

- A. Terrabyte per second
- B. Traffic per second
- C. Transfers per second
- D. Total data per second
- E. Terrabit per second

ANSWER: C

QUESTION NO: 5

What should be done after updating the configuration file for `syslogd` in order to make the changes become effective? (Choose TWO correct answers.)

- A. No action is required, `syslogd` will notice the updated configuration file after a few minutes.
- B. Send the HUP signal to the `syslogd` process.
- C. Restart the `syslogd` service.
- D. Run the command `syslogd -u`.

ANSWER: B C

QUESTION NO: 6 - (FILL BLANK)

Which file tells GRUB the paths of the filesystem partitions in both Linux format and in the GRUB syntax? (Specify the file name only with no path information)

ANSWER: device.map

QUESTION NO: 7

Which of the following terms are used to describe 3.x kernel releases? (Choose TWO correct answers.)

- A. beta
- B. final
- C. longterm

D. prerelease

E. stable

ANSWER: C E

QUESTION NO: 8 - (FILL BLANK)

Which keyword is used in the /etc/inittab file to define the SysV-init default system runlevel?

ANSWER: initdefault

QUESTION NO: 9

Which of the following commands will securely copy the directory ./fyf/ to /var/tmp/ on the remote host deltaur using the remote user account kevin?

A. rsync -a -e ssh kevin@deltaur:/var/tmp/ fyf/

B. rsync -a -u kevin -e ssh fyf/ deltaur:/var/tmp/

C. rsync -a -u kevin -e ssh deltaur:/var/tmp/ fyf/

D. rsync -a -e ssh fyf/ kevin@deltaur:/var/tmp/

ANSWER: D

QUESTION NO: 10

Which commands below are useful to collect data about remote filesystem connections? (Choose TWO correct answers.)

A. pidstat

B. nfsiostat

C. sadf

D. cifsostat

ANSWER: B D