



Oracle EBS R12: Install, Patch and Maintain Applications

Oracle 1z0-238

Version Demo

Total Demo Questions: 10

Total Premium Questions: 156

Buy Premium PDF

<https://dumpsboss.com>

support@dumpsboss.com

dumpsboss.com

Topic Break Down

| Topic | No. of Questions |
|--------------------|------------------|
| Topic 1, Section A | 75 |
| Topic 2, Section B | 49 |
| Topic 3, Section C | 32 |
| Total | 156 |

QUESTION NO: 1

Identify three features that INST_TOP supports. (Choose three.)

- A. read-only file systems
- B. centralization of log files
- C. centralization of all JSP files
- D. centralization of data files and control files
- E. centralization of application and database server control scripts
- F. sharing of APPL_TOP and technology stack among multiple instances

ANSWER: A B F

QUESTION NO: 2

You have to perform a two-node installation of Oracle Applications Release 12. The configuration should be the following: Application Database and Concurrent Processing should be deployed on Server A, and Web and Forms services should be deployed on Server B

B. Which services should you install on the respective nodes? (Choose two.)

- A. Web Entry Point Services on Server B
- B. Which services should you install on the respective nodes? (Choose two.)
Batch Processing Services on Server A
- C. Batch Processing Services and Other Service Group on Server A
- D. Root Services, Batch Processing Services, and Other Service Group on Server A
- E. Root Services, Web Entry Point Services, and Web Application Services on Server B

ANSWER: B E

QUESTION NO: 3

In Oracle Applications R12 configured on a UNIX operating system, where will you find the various application tier control scripts?

- A. \$INST_TOP/admin

- B. \$APPL_TOP/admin/scripts
- C. \$INST_TOP/admin/scripts
- D. \$COMMON_TOP/admin/scripts
- E. \$INST_TOP/admin/scripts/\$CONTEXT_NAME

ANSWER: C

QUESTION NO: 4

In an Oracle Applications Release 12 environment, where do you find the .xml file? (Choose two.)

- A. /admin/
- B. /admin/
- C. /apl/admin/
- D. /appsutil/
- E. /apputil/

ANSWER: C E

QUESTION NO: 5

Applying a patch in Pre-Install mode performs which three actions only? (Choose three.)

- A. generates JAR files
- B. reads product drivers file
- C. relinks all the executables
- D. performs file copy actions
- E. performs version checking
- F. relinks FND and AD executables only

ANSWER: D E F

QUESTION NO: 6

What is the default value of ?

- A. APPS_
- B. APPS_
- C. _
- D. _
- E. APPS_

ANSWER: D

QUESTION NO: 7

Which command can be used only with a single-node installation?

- A. rapidwiz -restart
- B. rapidwiz -techstack
- C. rapidwiz -servername
- D. rapidwiz -silent -config

ANSWER: C

QUESTION NO: 8

Where can you find the generated report file after running the Validate APPS schema task in the Oracle Applications R12 E-Business Suite setup?

- A. /admin/.lst
- B. /admin/out/.lst
- C. /admin/out/.lst
- D. /admin//out/.lst
- E. /admin//out/.lst

ANSWER: E

QUESTION NO: 9

Which three statements about the Applications Context file are true? (Choose three.)

- A. It is a system configuration file.
- B. It must be edited manually using a text editor.
- C. It is stored in an Oracle Applications Manager (OAM) schema.
- D. It can be downloaded from Oracle Applications Manager (OAM).
- E. It is created by Rapid Install using AutoConfig during installation and upgrade.
- F. It stores all information required to configure an Oracle Applications instance.

ANSWER: D E F

QUESTION NO: 10

Which statement is true regarding AutoPatch in the Oracle Applications Release 12 environment?

- A. AutoPatch is platform-independent.
- B. There is a limit to the number of times AutoPatch can be restarted.
- C. If language translation patches need to be applied in addition to the patch you are applying, AutoPatch notifies you.
- D. If all the prerequisite patches have not been applied, AutoPatch lists the missing prerequisites and continues with applying the current patch.
- E. AutoPatch replaces the files in the product directory with the files in the patch directory in case the latter have the same version as the former.

ANSWER: C